

REGISTRATION NO.: 1937990

FOR: 2004

OWNER / OPERATOR NO.: 1943967

DEPARTMENT OF HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
FOOD AND DRUG ADMINISTRATION

**ANNUAL REGISTRATION OF
DEVICE ESTABLISHMENT**

NOTE: This form is authorized by Section 510 of the Food, Drug, and Cosmetic Act (21 U.S.C. 360). Failure to report this information is a violation of Section 301(p) of the Act (21 U.S.C. 331(p)). Persons who violate this provision may, if convicted, be subject to fine or imprisonment or both. The submission of any report that is false or misleading in any material respect is a violation of Section 301(q)(2) (21 U.S.C. 331(q)(2)) and may be a violation of 18 U.S.C. 1001.

REGISTERED ESTABLISHMENT

SIGMA DIAGNOSTICS, INC.
3300 SOUTH 2ND ST.
ST. LOUIS, MO 63118

OWNER / OPERATOR

SIGMA CHEMICAL CO.
3050 SPRUCE ST.
ST. LOUIS, MO 63103

COPY

OFFICIAL CORRESPONDENT

MS. MARILYN L BALTZ
SIGMA DIAGNOSTICS, INC.
545 SOUTH EWING AVE.
ST. LOUIS, MO 63103

ESTABLISHMENT TYPE

REPACK/RELABEL

MANUFACTURER

CONTRACT MFR

Detach Part 1 and Keep as Proof of Registration.

Complete and Return Part 2.

Detach and Refer to Part 3 for Specific Instructions.

(BAR CODE)



1937990

DEPARTMENT OF HEALTH AND HUMAN SERVICES
PUBLIC HEALTH SERVICE
FOOD AND DRUG ADMINISTRATION
ANNUAL REGISTRATION OF DEVICE ESTABLISHMENT

A Type of Submission (mark one <input checked="" type="checkbox"/> only)	<input type="checkbox"/> No change	<input type="checkbox"/> No Longer Device Establishment
	<input checked="" type="checkbox"/> Correction	<input checked="" type="checkbox"/> Out of Business

REGISTERED ESTABLISHMENT INFORMATION **937990**

SIGMA DIAGNOSTICS, INC.
3300 SOUTH 2ND ST.
ST. LOUIS, MO 63118

B CORRECTIONS TO REGISTERED ESTABLISHMENT INFORMATION		
Establishment Name	Sigma-Aldrich Corporation	
Number and Street	3300 South 2nd Street	
Number and Street		
City	State	ZIP/Postal Code
ST. Louis	MO	63118
Foreign State	Country	

ESTABLISHMENT TYPES (If information below is inaccurate, correct in column to right)

MANUFACTURER
CONTRACT_MFR
REPACK/RELABEL

C CORRECTIONS TO ESTABLISHMENT TYPE (To correct, mark <input checked="" type="checkbox"/> all which apply)			
<input checked="" type="checkbox"/> R Repackager and/or Relabeler	<input type="checkbox"/> S Specification Dev.	<input checked="" type="checkbox"/> E Contract Manufacturer	<input checked="" type="checkbox"/> M Manufacturer
<input type="checkbox"/> ID Initial Distributor/Importer	<input type="checkbox"/> X Remanufacturer	<input type="checkbox"/> T Contract Sterilizer	<input type="checkbox"/> MB Reprocessor
<input type="checkbox"/> FE Foreign Exporter			

OWNER / OPERATOR INFORMATION **1943967**

SIGMA CHEMICAL CO.
3050 SPRUCE ST.
ST. LOUIS, MO 63103
() -

D CORRECTIONS TO OWNER / OPERATOR INFORMATION		
Business Name		
Number and Street		
Number and Street		
City	State	ZIP/Postal Code
Foreign State	Country	
Phone No. ()	Ext.	
Owner/Operator Number		

OTHER BUSINESS TRADING NAMES

E CORRECTIONS TO TRADING NAMES (If name on left has errors, write corrected name on line to its right. If no longer used, write "DELETE". Write new names last, preceded by an asterisk.)
--

OFFICIAL CORRESPONDENT INFORMATION

MS. MARILYN I BALTZ
SIGMA DIAGNOSTICS, INC.
545 SOUTH EWING AVE.
ST. LOUIS, MO 63103
PH: (314) 771-5765

F CORRECTIONS TO OFFICIAL CORRESPONDENT		
Name of Individual	Mr. Bryan Ball	
Business Name	Sigma-Aldrich Corp.	
Number and Street	3300 South Second St.	
Number and Street		
City	State	ZIP/Postal Code
St. Louis	MO	63118
Foreign State	Country	
Phone No. (314) 286-6600	Ext. 2845	FAX No. (314) 286-7724
E-mail Address	bball2@sial.com	

G SIGNATURE OF OFFICIAL CORRESPONDENT

TITLE OF OFFICIAL CORRESPONDENT	DATE SIGNED
Director Quality Assurance, U.S.	12/12/03
TYPED OR PRINTED NAME OF OFFICIAL CORRESPONDENT	
Mr. Bryan Ball	

Form FDA 2891a (5/02)



(BAR CODE)

Part 2 - Complete and Return

725008

FOR: 2004

Form Approved: OMB No. 0910-0387
Expiration Date: March 31, 2005

COPY