

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com

Email USA: techserv@sial.com


Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Name:

Dichlorodiphenylsilane - ≥95%

Product Number: 440124
Batch Number: SHBK2198
Brand: ALDRICH
CAS Number: 80-10-4
MDL Number: MFCD00000489
Formula: C₁₂H₁₀Cl₂Si
Formula Weight: 253.20 g/mol
Quality Release Date: 06 JUN 2018
Date Retested: 10 APR 2019
Recommended Retest Date: APR 2020



Test	Specification	Result
Appearance (Color)	Colorless to Yellow	Colorless
Appearance (Form)	Liquid	Liquid
Proton NMR Spectrum	Conforms to Structure	Conforms
Purity (GC)	≥ 95.0 %	99.6 %
Recommended Retest Period	-----	-----
1 Year		

Michael Grady, Manager
 Quality Control
 Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.