

3050 Spruce Street, Saint Louis, MO 63103, USA  
 Website: www.sigmaaldrich.com  
 Email USA: techserv@sial.com  
 Outside USA: eurtechserv@sial.com

## Certificate of Analysis

Product Name:  
 U2OS RFP-ACTB

**Product Number:** CLL1035  
**Lot Number:** 080M6264  
 Brand: SIGMA  
 Quality Release Date: 18 APR 2011

Test	Specification	Result
Vial Content (cells/vial)	2000000 - 6000000	2090000
Post Thaw Viable Cell Recovery	≥ 50 %	97 %
Cell Line Identity by STR	Conforms	Conforms
At least 80% loci homology of observed:		
D5S818:11,11		
D13S317:13,13		
D7S820:11,12		
D16S539:11,12		
vWA:14,18		
THO1:6,9.3		
Amelogenin:X,X		
TPOX:11,12		
CSF1PO:11,13		
Fluorescent Protein Localization (subcellular)	Conforms	Conforms
Mycoplasma Test	None Detected	None Detected
Sterility by USP guidelines	Pass	Pass
HIV-1/HIV-2	Negative	Negative
HBV	Negative	Negative
HCV	Negative	Negative

Note: All viral testing performed on a representative cell type within this lineage



Carrie Cupp, Supervisor  
 Quality Control

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: [www.sigmaaldrich.com](http://www.sigmaaldrich.com)Email USA: [techserv@sial.com](mailto:techserv@sial.com)Outside USA: [eurtechserv@sial.com](mailto:eurtechserv@sial.com)

## Certificate of Analysis

**Product Number:** CLL1035  
**Lot Number:** 080M6264

---

St. Louis, Missouri US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at [Sigma-Aldrich.com](http://Sigma-Aldrich.com). For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.