

## SAFETY DATA SHEET

Version 6.6  
Revision Date 02/02/2024  
Print Date 04/13/2024**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Aluminum

Product Number : 202584

Brand : Aldrich

Index-No. : 013-001-00-6

CAS-No. : 7429-90-5

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765

Fax : +1 800 325-5052

**1.4 Emergency telephone**

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**

Pyrophoric solids (Category 1), H250  
Chemicals which, in contact with water, emit flammable gases (Category 2), H261  
For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal Word

Danger

Aldrich - 202584

Page 1 of 10

<b>Hazard Statements</b>	
H250	Catches fire spontaneously if exposed to air.
H261	In contact with water releases flammable gas.
<b>Precautionary Statements</b>	
P210	Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P222	Do not allow contact with air.
P223	Do not allow contact with water.
P231 + P232	Handle under inert gas. Protect from moisture.
P280	Wear protective gloves/ eye protection/ face protection.
P335 + P334	Brush off loose particles from skin. Immerse in cool water/ wrap in wet bandages.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P402 + P404	Store in a dry place. Store in a closed container.
P422	Store contents under inert gas.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Combustible dust

---

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula	: Al
Molecular weight	: 26.98 g/mol
CAS-No.	: 7429-90-5
EC-No.	: 231-072-3
Index-No.	: 013-001-00-6

Component	Classification	Concentration
<b>aluminium</b>		
	Pyr. Sol. 1; 2; H250, H261	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

**In case of skin contact**

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

**In case of eye contact**

After eye contact: rinse out with plenty of water. Remove contact lenses.

**If swallowed**

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

---

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media**

Water Foam

**5.2 Special hazards arising from the substance or mixture**

Aluminum oxide

Not combustible.

May not get in touch with: Water

Ambient fire may liberate hazardous vapours.

**5.3 Advice for firefighters**

In the event of fire, wear self-contained breathing apparatus.

**5.4 Further information**

none

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

**6.2 Environmental precautions**

Risk of explosion. No special precautionary measures necessary.

### **6.3 Methods and materials for containment and cleaning up**

Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Keep workplace dry. Do not allow product to come into contact with water.

#### **Advice on protection against fire and explosion**

Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene measures**

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed. Keep away from heat and sources of ignition. Never allow product to get in contact with water during storage.

Air and moisture sensitive.

#### **Storage class**

Storage class (TRGS 510): 4.2: Pyrophoric and self-heating hazardous materials

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

Component	CAS-No.	Value	Control parameters	Basis
aluminium	7429-90-5	TWA	5 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		TWA	10 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		TWA	15 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		TWA	5 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		PEL	5 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	5 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		PEL	5 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	1 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Not classifiable as a human carcinogen		

## 8.2 Exposure controls

### Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### Skin protection

Handle with impervious gloves.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

#### Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested: KCL 741 Dermatril® L

#### Splash contact

Material: Nitrile rubber  
Minimum layer thickness: 0.11 mm  
Break through time: 480 min  
Material tested:KCL 741 Dermatril® L

### **Body Protection**

Flame retardant antistatic protective clothing.

### **Respiratory protection**

Recommended Filter type: Filter type P1

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Risk of explosion. No special precautionary measures necessary.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |   |  |
|---|--|
| a) Appearance                                   | Form: powder                                       |
| b) Odor   | No data available                                  |
| c) Odor Threshold                               | No data available                                  |
| d) pH   | No data available                                  |
| e) Melting point/freezing point                 | Melting point/range: 660.37 °C (1220.67 °F) - lit. |
| f) Initial boiling point and boiling range      | 2,460 °C 4,460 °F - lit.                           |
| g) Flash point                                  | ( )Not applicable                                  |
| h) Evaporation rate                             | No data available                                  |
| i) Flammability (solid, gas)                    | May form combustible dust concentrations in air.   |
| j) Upper/lower flammability or explosive limits | No data available                                  |
| k) Vapor pressure                               | No data available                                  |
| l) Vapor density                                | No data available                                  |
| m) Density                                      | 2.7 g/cm <sup>3</sup> at 25 °C (77 °F) - lit.      |
| Relative density                                | No data available                                  |
| n) Water solubility                             | No data available                                  |

- o) Partition coefficient: No data available  
n-octanol/water
- p) Autoignition temperature Catches fire spontaneously if exposed to air.
- q) Decomposition temperature No data available
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Sensitive to air.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Do not allow water to enter container.  
Exposure to air.  
Moisture.

### 10.5 Incompatible materials

acids, Acid chlorides, Halogens, Oxidizing agents, Bases, Oxygen

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Oral: No data available  
Inhalation: No data available  
Dermal: No data available

#### Skin corrosion/irritation

No data available

#### Serious eye damage/eye irritation

No data available





## 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14: Transport information

#### DOT (US)

UN number: 1396 Class: 4.3 Packing group: II  
Proper shipping name: Aluminum powder, uncoated  
Reportable Quantity (RQ):  
Poison Inhalation Hazard: No

#### IMDG

UN number: 1396 Class: 4.3 Packing group: II EMS-No: F-G, S-O  
Proper shipping name: ALUMINIUM POWDER, UNCOATED

#### IATA

UN number: 1396 Class: 4.3 Packing group: II  
Proper shipping name: Aluminium powder, uncoated

---

## SECTION 15: Regulatory information

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
aluminium	7429-90-5	1993-02-16

#### SARA 311/312 Hazards

Reactivity Hazard

#### Massachusetts Right To Know Components

	CAS-No.	Revision Date
Aldrich - 202584		

Page 9 of 10

aluminium

7429-90-5

1993-02-16

**Pennsylvania Right To Know Components**

aluminium

CAS-No.  
7429-90-5

Revision Date  
1993-02-16

---

**SECTION 16: Other information**

**Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.6

Revision Date: 02/02/2024

Print Date: 04/13/2024