

# SAFETY DATA SHEET

Version 6.10  
Revision Date 09/07/2024  
Print Date 09/08/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Chloroform-d

Product Number : 494275  
Brand : Aldrich  
CAS-No. : 865-49-6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES  
Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Inhalation (Category 3), H331  
Skin irritation (Category 2), H315  
Eye irritation (Category 2A), H319

Carcinogenicity (Category 2), H351  
 Reproductive toxicity (Category 2), H361  
 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336  
 Specific target organ toxicity - repeated exposure, Oral (Category 1), Liver, Kidney, H372  
 Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.
H402	Harmful to aquatic life.

Precautionary Statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P311	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Synonyms : Deuteriochloroform

Formula : CCl<sub>3</sub>D

Molecular weight : 120.38 g/mol

Component	Classification	Concentration
<b>Chloroform-D1-Deuteration</b>		
CAS-No.	865-49-6	Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Irrit. 2A; Carc. 2; Repr. 2; STOT SE 3; STOT RE 1; Aquatic Acute 3; H302, H331, H315, H319, H351, H361, H336, H372, H402
EC-No.	212-742-4	
Registration number	01-2120242098-57-XXXX	
		>= 90 - <= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

##### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

##### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

##### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

##### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

##### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Water Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### **Unsuitable extinguishing media**

For this substance/mixture no limitations of extinguishing agents are given.

### **5.2 Special hazards arising from the substance or mixture**

Carbon oxides

Hydrogen chloride gas

Combustible.

Development of hazardous combustion gases or vapours possible in the event of fire.

### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.  
For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under inert gas. hygroscopic Light sensitive.

### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
Chloroform-D1-Deuteration	865-49-6	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Confirmed animal carcinogen with unknown relevance to humans		
		ST	2 ppm 9.78 mg/m <sup>3</sup>	USA. NIOSH Recommended Exposure Limits
		Potential Occupational Carcinogen		
		C	50 ppm 240 mg/m <sup>3</sup>	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		PEL	2 ppm 9.78 mg/m <sup>3</sup>	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

##### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Viton®

Minimum layer thickness: 0.7 mm

Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm

Break through time: 10 min

Material tested: Butoject® (KCL 898)

### **Body Protection**

protective clothing

### **Respiratory protection**

Recommended Filter type: Filter type AX

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |                                 |  |
|---------------------------------|--|
| a) Appearance                   | Form: liquid, clear<br>Color: colorless      |
| b) Odor                         | characteristic                               |
| c) Odor Threshold               | No data available                            |
| d) pH                           | No data available                            |
| e) Melting point/freezing point | Melting point/ range: -64 °C (-83 °F) - lit. |

- |   |  |
|---|--|
| f) Initial boiling point and boiling range      | 60.9 °C 141.6 °F - lit.  |
| g) Flash point                                  | > 60 °C (> 140 °F) at ca.1,019.2 hPa - closed cup - Regulation (EC) No. 440/2008, Annex, A.9 |
| h) Evaporation rate                             | No data available  |
| i) Flammability (solid, gas)                    | No data available  |
| j) Upper/lower flammability or explosive limits | No data available  |
| k) Vapor pressure                               | ca.265.31 hPa at ca.25 °C (ca.77 °F)   |
| l) Vapor density                                | 4.12 - (Air = 1.0)   |
| m) Density                                      | 1.500 g/cm <sup>3</sup> at 25 °C (77 °F) - lit.  |
| Relative density                                | ca.1.44520 °C - OECD Test Guideline 109  |
| n) Water solubility                             | 4.6 g/l at 20 °C (68 °F) - Regulation (EC) No. 440/2008, Annex, A.6                          |
| o) Partition coefficient: n-octanol/water       | log Pow: 1.5 at 20 °C (68 °F) - Bioaccumulation is not expected.                             |
| p) Autoignition temperature                     | No data available  |
| q) Decomposition temperature                    | Distillable in an undecomposed state at normal pressure.                                     |
| r) Viscosity                                    | No data available  |
| s) Explosive properties                         | No data available  |
| t) Oxidizing properties                         | none   |

## 9.2 Other safety information

- |                        |   |
|------------------------|---|
| Surface tension        | 72.3 mN/m at 0.99g/l at 20 °C (68 °F) - Surface tension |
| Relative vapor density | 4.12 - (Air = 1.0)                                      |

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .  
Contains the following stabilizer(s):  
tetramethylsilane (0.03 %)

### 10.3 Possibility of hazardous reactions

Risk of explosion with:

Aldrich - 494275

Page 7 of 14

Ammonia  
Amines  
nitrogen oxides  
bases  
Oxygen  
alkali amides  
organic nitro compounds  
Alcohols  
alkali hydroxides  
strong alkalis  
Fluorine  
peroxi compounds  
Alkaline earth metals  
Alkali metals  
Powdered metals  
Methanol  
with  
alcoholates  
Methanol  
with  
strong alkalis  
Iron  
in powder form  
various alloys  
sensitive to shock  
Methanol  
with  
Sodium hydroxide  
magnesium  
in powder form  
Oxygen  
with  
alkali compounds  
Aluminum  
in powder form  
Acetone  
with  
alkali compounds  
Potassium  
sensitive to shock  
sodium  
sensitive to shock  
Violent reactions possible with:  
phosphines  
bis(dimethylamino)dimethyl tin  
nonmetallic hydrogen compounds  
Powdered metals  
Light metals  
Ketones  
mineral acids  
Strong oxidizing agents  
semimetallic hydrogen compounds

Aldrich - 494275

Page 8 of 14

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**MILLIPORE**  
**SIGMA**



#### 10.4 Conditions to avoid

no information available

#### 10.5 Incompatible materials

rubber, various plastics

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

##### Mixture

##### Acute toxicity

Acute toxicity estimate Oral - 908.27 mg/kg  
(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapor(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations

Dermal: No data available

##### Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

##### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye irritation.

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

Evidence of a carcinogenic effect.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Chloroform-D1-Deuteration)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Chloroform-D1-Deuteration)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### Reproductive toxicity

Suspected of damaging the unborn child.

Suspected of damaging fertility.

##### Specific target organ toxicity - single exposure

Mixture may cause drowsiness or dizziness.

**Specific target organ toxicity - repeated exposure**

Mixture causes damage to organs through prolonged or repeated exposure.

- Liver, Kidney

**Aspiration hazard**

No data available

**11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

**Components****Chloroform-D1-Deuteration****Acute toxicity**

LD50 Oral - Rat - male - 908 mg/kg

(OECD Test Guideline 401)

Remarks: The value is given in analogy to the following substances: Chloroform

Acute toxicity estimate Inhalation - 4 h - 3.1 mg/l - vapor

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

The value is given in analogy to the following substances: Chloroform

Dermal: No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Irritating to skin. - 24 h

Remarks: (ECHA)

The value is given in analogy to the following substances: Chloroform

Remarks: Drying-out effect resulting in rough and chapped skin.

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Irritating to eyes.

Remarks: (ECHA)

The value is given in analogy to the following substances: Chloroform

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

**Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: negative

(Regulation (EC) No. 440/2008, Annex, B.6)

Remarks: The value is given in analogy to the following substances: Chloroform

### **Germ cell mutagenicity**

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Remarks: (ECHA)

The value is given in analogy to the following substances: Chloroform

Test Type: unscheduled DNA synthesis assay

Test system: Liver

Result: negative

Remarks: (ECHA)

The value is given in analogy to the following substances: Chloroform

Method: OECD Test Guideline 474

Species: Rat - male and female - Red blood cells (erythrocytes)

Result: negative

Remarks: The value is given in analogy to the following substances: Chloroform

Method: OECD Test Guideline 486

Species: Rat - male - Liver cells

Result: negative

Remarks: The value is given in analogy to the following substances: Chloroform

Species: Mouse - female

Result: negative

Remarks: (ECHA)

The value is given in analogy to the following substances: Chloroform

### **Carcinogenicity**

Suspected of causing cancer.

### **Reproductive toxicity**

Suspected of damaging the unborn child.

### **Specific target organ toxicity - single exposure**

May cause drowsiness or dizziness.

Remarks: The value is given in analogy to the following substances: Chloroform

### **Specific target organ toxicity - repeated exposure**

Oral - Causes damage to organs through prolonged or repeated exposure.

- Liver, Kidney

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

The value is given in analogy to the following substances: Chloroform

### **Aspiration hazard**

No data available

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

#### **Mixture**

No data available

### **12.2 Persistence and degradability**

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

#### Components

#### Chloroform-D1-Deuteration

Toxicity to algae	static test ErC50 - Chlamydomonas reinhardtii (green algae) - 13.3 mg/l - 72 h Remarks: (ECHA) The value is given in analogy to the following substances: Chloroform
Toxicity to bacteria	Remarks: (ECHA) The value is given in analogy to the following substances: Chloroform
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Daphnia magna (Water flea) - 6.3 mg/l - 21 d Remarks: (ECHA) The value is given in analogy to the following substances: The value is given in analogy to the following substances: Chloroform

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

**SECTION 14: Transport information****DOT (US)**

UN number: 1888 Class: 6.1 Packing group: III  
Proper shipping name: Chloroform  
Reportable Quantity (RQ): 10 lbs  
Reportable Quantity (RQ): 10 lbs  
Poison Inhalation Hazard: No

**IMDG**

UN number: 1888 Class: 6.1 Packing group: III EMS-No: F-A, S-A  
Proper shipping name: CHLOROFORM

**IATA**

UN number: 1888 Class: 6.1 Packing group: III  
Proper shipping name: Chloroform

---

**SECTION 15: Regulatory information****CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Chloroform-D1-Deuteration	865-49-6	10	10
Chloroform-D1-Deuteration	865-49-6	10	10 (D022)

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Chloroform-D1-Deuteration	865-49-6	10	10

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

Components	CAS-No.	Component TPQ (lbs)
Chloroform-D1-Deuteration	865-49-6	10000

**SARA 311/312 Hazards** : Acute Health Hazard  
Chronic Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Chloroform- 865-49-6 >= 90 - <= 100 %  
D1-Deuteration

**US State Regulations****Massachusetts Right To Know**

Chloroform-D1-Deuteration 865-49-6

**Pennsylvania Right To Know**

Chloroform-D1-Deuteration 865-49-6

**Maine Chemicals of High Concern**

Aldrich - 494275

Page 13 of 14

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

**Washington Chemicals of High Concern**

Product does not contain any listed chemicals

**California Prop. 65**

WARNING: This product can expose you to chemicals including Chloroform-D1-Deuteration, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The ingredients of this product are reported in the following inventories:**

TSCA : Product contains substance(s) not listed on TSCA inventory.

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

**SECTION 16: Other information**

**Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.10

Revision Date: 09/07/2024

Print Date: 09/08/2024