

## SAFETY DATA SHEET

Version 6.3  
Revision Date 02/25/2021  
Print Date 06/20/2021**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifiers**

Product name : Allyl cyclohexanepropionate

Product Number : W202606  
Brand : Aldrich  
CAS-No. : 2705-87-5**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses : Laboratory chemicals, Synthesis of substances

**1.3 Details of the supplier of the safety data sheet**Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATESTelephone : +1 314 771-5765  
Fax : +1 800 325-5052**1.4 Emergency telephone**Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)**Acute toxicity, Oral (Category 4), H302  
Acute toxicity, Inhalation (Category 4), H332  
Acute toxicity, Dermal (Category 4), H312  
Skin sensitization (Category 1), H317  
Short-term (acute) aquatic hazard (Category 1), H400  
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

**2.2 GHS Label elements, including precautionary statements**

Pictogram



Signal word

Warning

Aldrich - W202606

Page 1 of 10

|                            |   |
|----------------------------|---|
| Hazard statement(s)        |   |
| H302 + H312 + H332         | Harmful if swallowed, in contact with skin or if inhaled.   |
| H317                       | May cause an allergic skin reaction.  |
| H410                       | Very toxic to aquatic life with long lasting effects.   |
| Precautionary statement(s) |   |
| P261                       | Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.   |
| P264                       | Wash skin thoroughly after handling.  |
| P270                       | Do not eat, drink or smoke when using this product.   |
| P271                       | Use only outdoors or in a well-ventilated area.   |
| P272                       | Contaminated work clothing must not be allowed out of the workplace.  |
| P273                       | Avoid release to the environment.   |
| P280                       | Wear protective gloves/ protective clothing.  |
| P301 + P312 + P330         | IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.   |
| P302 + P352 + P312         | IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.                                      |
| P304 + P340 + P312         | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. |
| P333 + P313                | If skin irritation or rash occurs: Get medical advice/ attention.   |
| P363                       | Wash contaminated clothing before reuse.  |
| P391                       | Collect spillage.   |
| P501                       | Dispose of contents/ container to an approved waste disposal plant.   |

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none**

---

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

|                  |  |
|------------------|--|
| Formula          | : C <sub>12</sub> H <sub>20</sub> O <sub>2</sub> |
| Molecular weight | : 196.29 g/mol                                   |
| CAS-No.          | : 2705-87-5                                      |
| EC-No.           | : 220-292-5                                      |

| Component                           | Classification   | Concentration |
|-------------------------------------|--|---------------|
| <b>Allyl 3-cyclohexylpropionate</b> |  |               |
|                                     | Acute Tox. 4; Skin Sens. 1; Aquatic Acute 1; Aquatic Chronic 1; H302, H332, H312, H317, H400, H410<br>M-Factor - Aquatic Acute: 1 - Aquatic Chronic: 1 | <= 100 %      |

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam Carbon dioxide (CO<sub>2</sub>) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemisorb® ). Dispose of properly. Clean up affected area.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

Tightly closed.

Storage class (TRGS 510): 10: Combustible liquids

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

### **8.2 Exposure controls**

#### **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: 480 min

Material tested: Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene

Minimum layer thickness: 0.6 mm

Break through time: 30 min

Material tested: Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

protective clothing

### **Respiratory protection**

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |  |   |
|--|---|
| a) Appearance                              | Form: liquid<br>Color: colorless  |
| b) Odor                                    | No data available   |
| c) Odor Threshold                          | No data available   |
| d) pH                                      | No data available   |
| e) Melting point/freezing point            | Freezing point: < -20 °C (< -4 °F) at 1,013 hPa - OECD Test Guideline 102 |
| f) Initial boiling point and boiling range | 91 °C 196 °F at 1 hPa - lit.  |
| g) Flash point                             | 106 °C (223 °F) - closed cup - Regulation (EC) No. 440/2008, Annex, A.9   |

|    |  |  |
|----|--|--|
| h) | Evaporation rate                             | No data available  |
| i) | Flammability (solid, gas)                    | No data available  |
| j) | Upper/lower flammability or explosive limits | No data available  |
| k) | Vapor pressure                               | 0.0 hPa at 25 °C (77 °F) - OECD Test Guideline 104                                   |
| l) | Vapor density                                | No data available  |
| m) | Relative density                             | No data available  |
| n) | Water solubility                             | 0.017 g/l at 20 °C (68 °F) - OECD Test Guideline 105                                 |
| o) | Partition coefficient: n-octanol/water       | log Pow: 4.28 at 20 °C (68 °F) - OECD Test Guideline 107 - Potential bioaccumulation |
| p) | Autoignition temperature                     | No data available  |
| q) | Decomposition temperature                    | No data available  |
| r) | Viscosity                                    | No data available  |
| s) | Explosive properties                         | No data available  |
| t) | Oxidizing properties                         | No data available  |

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.  
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 585 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Inhalation - 4 h - 11.1 mg/l

(Expert judgment)

LD50 Dermal - Rabbit - 1,600 mg/kg

(OECD Test Guideline 402)

No data available

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation

(OECD Test Guideline 439)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

#### Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: positive

(OECD Test Guideline 406)

#### Germ cell mutagenicity

No data available

in vitro test

human lymphoblastoid cells

Result: negative

Ames test

S. typhimurium

Result: negative

In vitro mammalian cell gene mutation test

Chinese hamster fibroblasts

Result: negative

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

## Aspiration hazard

No data available

## 11.2 Additional Information

RTECS: GV6735000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

|   |  |
|---|--|
| Toxicity to fish                                    | flow-through test LC50 - Pimephales promelas (fathead minnow) - 0.13 mg/l - 96 h<br>(OECD Test Guideline 203)  |
| Toxicity to daphnia and other aquatic invertebrates | flow-through test EC50 - Daphnia magna (Water flea) - 3.8 mg/l - 48 h<br>(OECD Test Guideline 202)<br>flow-through test NOEC - Daphnia magna (Water flea) - 0.86 mg/l - 48 h<br>(OECD Test Guideline 202)                          |
| Toxicity to algae                                   | static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 3 mg/l - 72 h<br>(OECD Test Guideline 201)<br>static test NOEC - Pseudokirchneriella subcapitata (green algae) - 0.74 mg/l - 72 h<br>(OECD Test Guideline 201) |

### 12.2 Persistence and degradability

|                  |   |
|------------------|---|
| Biodegradability | aerobic - Exposure time 28 d<br>Result: 86 % - Readily biodegradable.<br>(OECD Test Guideline 301D) |
|------------------|---|

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

No data available



---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

#### DOT (US)

Not dangerous goods

#### IMDG

UN number: 3082 Class: 9 Packing group: III EMS-No: F-A, S-F  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Allyl 3-cyclohexylpropionate)  
Marine pollutant : yes

#### IATA

UN number: 3082 Class: 9 Packing group: III  
Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (Allyl 3-cyclohexylpropionate)

#### Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

---

## SECTION 15: Regulatory information

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Acute Health Hazard

#### Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know Components

Allyl 3-cyclohexylpropionate

CAS-No.  
2705-87-5

Revision Date

## New Jersey Right To Know Components

Allyl 3-cyclohexylpropionate

CAS-No.  
2705-87-5

Revision Date

---

### SECTION 16: Other information

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 6.3

Revision Date: 02/25/2021

Print Date: 06/20/2021