

# SAFETY DATA SHEET

Version 6.3 Revision Date 11/06/2025 Print Date 11/07/2025

#### **SECTION 1. IDENTIFICATION**

#### 1.1 Product identifiers

Product name : Tetrafluoroboric acid

Product Number : 01544
Brand : SIGALD
CAS-No. : 16872-11-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

# 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

# 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

## **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

# Hazards for the product as supplied

Skin corrosion : Category 1B

SIGALD - 01544

Page 1 of 16



Serious eye damage : Category 1

#### Other hazards

Strong hydrogen fluoride-releaser

#### **GHS label elements**

Hazard pictograms



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:** 

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye

protection/ face protection.

**Response:** 

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to

fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

CAS-No. : 16872-11-0

#### Components

SIGALD - 01544

Page 2 of 16



Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
tetra-fluoroboric acid	16872-11-0*	>= 30 - <= 60	TSC

<sup>\*</sup> Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

General advice : Hydrofluoric (HF) acid burns require immediate and

specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with

water, further damage can occur due to

penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur

through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of

ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

First aiders need to protect themselves. Show this safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : First treatment with calcium gluconate paste.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Call a physician immediately.

In case of eye contact : After eye contact: rinse out with plenty of water.

Immediately call in ophthalmologist.

Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two

glasses at most), avoid vomiting (risk of perforation).

Call a physician immediately.

SIGALD - 01544 Page 3 of 16



Do not attempt to neutralise.

Most important symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIREFIGHTING MEASURES**

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Hazardous combustion

products

Hydrogen fluoride

Borane/boron oxides

Specific extinguishing

methods

: No data available

Further information : Suppress (knock down) gases/vapours/mists with a

water spray jet.

Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-

fighters

: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel: Do not breathe vapours, aerosols.

Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

SIGALD - 01544

Page 4 of 16

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

## **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Further information on storage conditions

: Tightly closed.

Storage class : 8A, Combustible, corrosive hazardous materials

Recommended storage

temperature

: Recommended storage temperature see product label.

Further information on

storage stability

: Do not store in glass

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

# Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
tetra-fluoroboric acid	16872-11-0	TWA	2.5 mg/m3 (Fluorine)	OSHA Z-1
		TWA	2.5 mg/m3 (Fluorine)	ACGIH

# **Biological occupational exposure limits**

Components	CAS-No.	Control parameter s	Biological specimen	Samplin g time	Permissibl e concentrat ion	Basis
tetra-fluoroboric acid	16872- 11-0	Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposur e ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As	3 mg/l	ACGIH BEI

SIGALD - 01544 Page 5 of 16



	soon as	
	possible	
	after	
	exposur	
	e	
	ceases)	

**Engineering measures** : No data available

## Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

## Hand protection

Material : Nature latex/chloroprene

Break through time : 480 min
Glove thickness : 0.6 mm
Protective index : Full contact

Manufacturer : Lapren® (KCL 706 / Aldrich Z677558, Size M)

Material : Nitrile rubber
Break through time : 30 min
Glove thickness : 0.11 mm
Protective index : Splash contact

Manufacturer : Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Manufacturer : data source: KCL GmbH, D-36124 Eichenzell, phone

+49 (0)6659 87300, e-mail sales@kcl.de, test

method: EN374

Remarks : Handle with gloves. Gloves must be inspected prior to

use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good

laboratory practices. Wash and dry hands.

SIGALD - 01544 Page 6 of 16



If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Tightly fitting safety goggles

Skin and body protection : Acid-resistant protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply

preventive skin protection. Wash hands and face

after working with substance.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aqueous solution

Color : colourless

Odor : No data available

Odor Threshold : No data available pH : 1 (68 °F / 20 °C)

Concentration: 8.7 g/l

: ca. -108 °F / -78 °C

 $: > 266 \, ^{\circ}F / > 130 \, ^{\circ}C$ 

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Upper explosion limit / : No data available

SIGALD - 01544

Millipore SigMa Upper flammability limit

Lower explosion limit / Lower flammability limit

: No data available

Vapor pressure : 7 hPa (68 °F / 20 °C)

Relative vapour density : 3.03

(Air = 1.0)

Relative density : No data available

Density : 1.38 g/mL (68 °F / 20 °C)

Method: lit.

Water solubility : No data available

Partition coefficient: n-

octanol/water

: No data available

Autoignition temperature : No data available

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Molecular weight : 87.81 g/mol

Particle characteristics

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No data available

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: No data available

SIGALD - 01544



Conditions to avoid : Reacts dangerously with glass.

no information available

Incompatible materials : Strong bases

glass

Hazardous decomposition: In the event of fire: see section 5

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

#### **Mixture**

# **Acute toxicity**

Oral: No data available

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of

perforation of the oesophagus and the stomach.

Inhalation: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Dermal: No data available

No data available

## Skin corrosion/irritation

Remarks: No data available Remarks: Mixture causes burns.

#### Serious eye damage/eye irritation

Remarks: No data available

Remarks: Mixture causes serious eye damage.

Risk of blindness!

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

## Reproductive toxicity

No data available No data available

SIGALD - 01544

Page 9 of 16

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### 11.2 Additional Information

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# **Components**

#### tetra-fluoroboric acid

## **Acute toxicity**

Oral: No data available

Inhalation: Corrosive to respiratory system.

Dermal: No data available

No data available

### Skin corrosion/irritation

Skin - Rat

Result: Corrosive

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table

3.1/3.2)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive to eyes

# Respiratory or skin sensitization

No data available

#### **Germ cell mutagenicity**

No data available

#### Carcinogenicity

No data available

## **Reproductive toxicity**

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

SIGALD - 01544 Page 10 of 16

#### **SECTION 12. ECOLOGICAL INFORMATION**

# **Ecotoxicity**

## **Product:**

: Remarks: No data available Toxicity to fish

LC50 (Danio rerio (zebra fish)): 2,600 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and

other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

Toxicity to algae/aquatic

plants

NOEC (Pseudokirchneriella subcapitata (green algae)):

> 100 mg/l

Exposure time: 72 h

Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 188 mg/l Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

#### **Components:**

#### tetra-fluoroboric acid:

Toxicity to fish

: LC50 (Danio rerio (zebra fish)): 2,600 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and

other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

Toxicity to algae/aquatic

plants

: NOEC (Pseudokirchneriella subcapitata (green algae)):

> 100 mg/l

Exposure time: 72 h

Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

Toxicity to daphnia and

other aquatic

invertebrates (Chronic

toxicity)

: NOEC (Daphnia magna (Water flea)): 188 mg/l Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

SIGALD - 01544

Page 11 of 16

## Persistence and degradability

**Product:** 

Biodegradability : Remarks: No data available

**Components:** 

tetra-fluoroboric acid:

Biodegradability : Remarks: The methods for determining the biological

degradability are not applicable to inorganic

substances.

**Bioaccumulative potential** 

**Product:** 

Bioaccumulation : Remarks: No data available

**Components:** 

tetra-fluoroboric acid:

Bioaccumulation : Remarks: No data available

Mobility in soil

**Product:** 

Stability in soil : Remarks: No data available

**Components:** 

tetra-fluoroboric acid:

Stability in soil : Remarks: No data available

Other adverse effects

**Components:** 

tetra-fluoroboric acid:

Additional ecological

information

: No data available

**SECTION 13. DISPOSAL CONSIDERATIONS** 

**Disposal methods** 

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

SIGALD - 01544

Aillipore iGMa

#### **SECTION 14. TRANSPORT INFORMATION**

# **International Regulations**

IATA-DGR

UN/ID No. : UN 1775
Proper shipping name : Fluoroboric acid

Class : 8 Packing group : II

Labels : Class 8 - Corrosive substances

Packing instruction (cargo: 855

aircraft)

Packing instruction : 851

(passenger aircraft)

IMDG-Code

UN number : UN 1775

Proper shipping name : FLUOROBORIC ACID

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **National Regulations**

49 CFR Road

UN/ID/NA number : UN 1775

Proper shipping name : Fluoroboric acid

Class : 8 Packing group : II

Labels : Class 8 - Corrosive substances

ERG Code : 154 Marine pollutant : no

Poison Inhalation Hazard: No.

# Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SIGALD - 01544

Page 13 of 16



# SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

# SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Component TPQ (lbs) Components CAS-No. : No SARA Hazards

SARA 311/312

**Hazards** 

**SARA 313** : This material does not contain any chemical

> components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

# **US State Regulations**

## **Massachusetts Right To Know**

No components are subject to the Massachusetts Right to Know Act.

## Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

## Pennsylvania Right To Know

water 7732-18-5 tetra-fluoroboric acid 16872-11-0

# **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

# **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

### **New Jersey Right To Know**

water 7732-18-5 tetra-fluoroboric acid 16872-11-0

### The components of this product are reported in the following inventories:

**TSCA** : All substances listed as active on the TSCA inventory

## **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

# **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SIGALD - 01544 Page 14 of 16 ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-

1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA - Superfund Amendments Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 11/06/2025

SIGALD - 01544

Page 15 of 16



The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

SIGALD - 01544 Page 16 of 16

