

## SAFETY DATA SHEET

Version 6.9 Revision Date 08/05/2024 Print Date 08/06/2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Schenk and Hildebrandt Basal Salt Mixture

Product Number : S6765 Brand : Sigma

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 3), H272 Reproductive toxicity (Category 1B), H360

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Sigma - S6765

Page 1 of 11



### Pictogram



Signal Word Danger

Hazard Statements

H272 May intensify fire; oxidizer.

H360 May damage fertility or the unborn child.

**Precautionary Statements** 

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam to extinguish.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Component		Classification	Concentration
calcium chloride			
CAS-No.	10043-52-4	Eye Irrit. 2A; H319	>= 1 - < 5 %
EC-No.	233-140-8		
Index-No.	017-013-00-2		
Registration	01-2119494219-28-		
number	XXXX		
boric acid			
CAS-No.	10043-35-3	Repr. 1B; Aquatic Acute 3;	>= 0.1 - < 1
EC-No.	233-139-2	H360, H402	%
Index-No.	005-007-00-2		
Registration	01-2119486683-25-		
number	XXXX		

For the full text of the H-Statements mentioned in this Section, see Section 16.



#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

No data available

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

No data available

## 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Hydrogen chloride gas

Potassium oxides

Magnesium oxide

Cobalt/cobalt oxides

Calcium oxide

Copper oxides

Not combustible.

#### 5.3 Advice for firefighters

No data available

#### 5.4 Further information

No data available

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For personal protection see section 8.

### 6.2 Environmental precautions

No data available

## 6.3 Methods and materials for containment and cleaning up

No data available

### 6.4 Reference to other sections

For disposal see section 13.

Sigma - S6765

Millipore SigMa

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

No data available

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with workplace control parameters

Component	CAS-No.	Value	Control	Basis	
			parameters		
boric acid	10043-35-	TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Not classifiable as a human carcinogen			
		STEL	6 mg/m3	USA. ACGIH Threshold Limit	
				Values (TLV)	
		Not classifiable as a human carcinogen			

#### 8.2 Exposure controls

No data available

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder
 b) Odor No data available
 c) Odor Threshold No data available
 d) pH No data available
 e) Melting No data available point/freezing point

f) Initial boiling point No data available and boiling range

g) Flash point ()Not applicableh) Evaporation rate No data available

i) Flammability (solid, The product is not flammable. gas)

j) Upper/lower No data available

Sigma - S6765

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Page 4 of 11

flammability or explosive limits

k) Vapor pressure No data available Vapor density No data available I) m) Density No data available Relative density No data available n) Water solubility No data available o) Partition coefficient: No data available

n-octanol/water

p) Autoignition Not applicable temperature

q) Decomposition temperature

No data available

No data available r) Viscosity

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

#### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

### 10.2 Chemical stability

No data available

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong reducing agents, Powdered metals, Strong acids, Organic materials

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

Sigma - S6765



### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Mixture**

### **Acute toxicity**

Oral: No data available

Acute toxicity estimate Oral - 2,856 mg/kg

(Calculation method)

Acute toxicity estimate Inhalation - 4 h - 55.97 mg/l - dust/mist(Calculation method)

Dermal: No data available **Skin corrosion/irritation** 

No data available

### Serious eye damage/eye irritation

No data available

## Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

May harm the unborn child.

May impair fertility.

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

### 11.2 Additional Information

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer. Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Liver - Irregularities - Based on Human Evidence

Sigma - S6765

Page 6 of 11



### **Components**

#### calcium chloride

#### **Acute toxicity**

LD50 Oral - Rabbit - male - 500 - 1,000 mg/kg

(OECD Test Guideline 401)
Oral: No data available

Symptoms: After uptake of large quantities:, Stomach/intestinal disorders, Nausea

Symptoms: Possible damages:, mucosal irritations

LD50 Dermal - Rabbit - male and female - > 5,000 mg/kg

Remarks: (ECHA) No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Moderate eye irritation (OECD Test Guideline 405)

### Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster fibroblasts

Result: negative Test Type: Ames test

Test system: S. typhimurium

Result: negative Remarks: (Lit.) Carcinogenicity No data available

## Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

Acute oral toxicity - After uptake of large quantities:, Stomach/intestinal disorders, Nausea

Acute inhalation toxicity - Possible damages:, mucosal irritations

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available



#### boric acid

#### **Acute toxicity**

LD50 Oral - Rat - male and female - 3,450 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - > 2.12 mg/l - dust/mist

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

Remarks: (ECHA)

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h (OECD Test Guideline 405)

## Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

### Germ cell mutagenicity

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Result: negative Remarks: (ECHA) Test Type: Ames test

Test system: S. typhimurium

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Mutagenicity (mammal cell test): Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474 Species: Mouse - male and female

Result: negative

## Carcinogenicity

No data available

### Reproductive toxicity

May damage fertility.

May damage the unborn child.

## Specific target organ toxicity - single exposure

No data available

Millipore

## Specific target organ toxicity - repeated exposure

### **Aspiration hazard**

No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Mixture**

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Endocrine disrupting properties

No data available

### 12.7 Other adverse effects

No data available

### **Components**

## calcium chloride

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) -

4,630 mg/l - 96 h

(US-EPA)

Toxicity to daphnia

and other aquatic

48 h

invertebrates

(OECD Test Guideline 202)

Toxicity to algae EC50 - Pseudokirchneriella subcapitata - 2,900 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to daphnia and other aquatic

invertebrates(Chronic

toxicity)

EC50 - Daphnia magna (Water flea) - 610 mg/l - 21 d

static test EC50 - Daphnia magna (Water flea) - 2,400 mg/l -

#### boric acid

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) -

79.7 mg/l - 96 h

(US-EPA)

Toxicity to daphnia and other aquatic

static test EC50 - Daphnia magna (Water flea) - 133 mg/l - 48

h

Sigma - S6765

Page 9 of 11



invertebrates Remarks: (ECOTOX Database)

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae)

- 52.4 mg/l - 74.5 h

(OECD Test Guideline 201)

#### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

No data available

## **SECTION 14: Transport information**

DOT (US)

UN number: 1477 Class: 5.1 Packing group: III

Proper shipping name: Nitrates, inorganic, n.o.s.

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1477 Class: 5.1 Packing group: III EMS-No: F-A, S-Q

Proper shipping name: NITRATES, INORGANIC, N.O.S.

**IATA** 

UN number: 1477 Class: 5.1 Packing group: III

Proper shipping name: Nitrates, inorganic, n.o.s.

#### **SECTION 15: Regulatory information**

### **CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Reactivity Hazard
Hazards : Chronic Health Hazard

Sigma - S6765

lilliPDR*e* 

Page 10 of 11

# SARA 313 : The following components are subject to reporting

levels established by SARA Title III, Section 313:

potassium 7757-79-1 >= 70 - < 90 %

nitrate

ammonium 7722-76-1 >= 5 - < 10 %

dihydrogenorth ophosphate

### **US State Regulations**

## **Massachusetts Right To Know**

potassium nitrate 7757-79-1

## Pennsylvania Right To Know

potassium nitrate	7757-79-1
Ferrous sulfate heptahydrate	7782-63-0
Manganese Sulfate Monohydrate	10034-96-5
Zinc nitrate hexahvdrate	10196-18-6

### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

## **Vermont Chemicals of High Concern**

Disodium molybdate dihydrate	10102-40-6
Cobalt dichloride hexahydrate	7791-13-1

## **Washington Chemicals of High Concern**

Cobalt dichloride hexahydrate 7791-13-1

## The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

### **SECTION 16: Other information**

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.9 Revision Date: 08/05/2024 Print Date: 08/06/2024

