

SAFETY DATA SHEET

Version 8.15
Revision Date 02/11/2025
Print Date 02/12/2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : Sodium hydroxide pellets for analysis
EMSURE®

Product Number : 1.06498
Catalogue No. : 106498
Brand : Millipore
Index-No. : 011-002-00-6
CAS-No. : 1310-73-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production
Uses advised against :

The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-
527-3887 CHEMTREC (International) 24
Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290
Skin corrosion (Category 1A), H314
Serious eye damage (Category 1), H318
Short-term (acute) aquatic hazard (Category 3), H402

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard Statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H402 Harmful to aquatic life.

Precautionary Statements

P234 Keep only in original container.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.
P390 Absorb spillage to prevent material damage.
P405 Store locked up.
P406 Store in corrosive resistant container with a resistant inner liner.
P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : NaOH

Millipore - 1.06498

Page 2 of 12

Molecular weight : 40 g/mol
 CAS-No. : 1310-73-2
 EC-No. : 215-185-5
 Index-No. : 011-002-00-6

| Component | Classification | Concentration |
|-------------------------|--|---------------|
| sodium hydroxide | | |
| | Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 3; H290, H314, H318, H402 Concentration limits: >= 0.4 %: Met. Corr. 1, H290; >= 5 %: Skin Corr. 1A, H314; 2 - < 5 %: Skin Corr. 1B, H314; 0.5 - < 2 %: Skin Irrit. 2, H315; 0.5 - < 2 %: Eye Irrit. 2, H319; | <= 100 % |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Sodium oxides

Not combustible.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No aluminium, tin, or zinc containers. No metal containers.

Tightly closed. Dry.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|------------------|-----------|-------|---------------------|---|
| sodium hydroxide | 1310-73-2 | C | 2 mg/m ³ | USA. ACGIH Threshold Limit Values (TLV) |
| | | C | 2 mg/m ³ | USA. NIOSH Recommended Exposure Limits |
| | | TWA | 2 mg/m ³ | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | C | 2 mg/m ³ | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

Body Protection

protective clothing

Respiratory protection

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|-------------------------------------|
| a) Appearance | Form: solid Color: white |
| b) Odor | odorless |
| c) Odor Threshold | Not applicable |
| d) pH | ca.> 14 at 100 g/l at 20 °C (68 °F) |
| e) Melting point/freezing point | Melting point: 318 °C (604 °F) |
| f) Initial boiling point and boiling range | 1,390 °C 2,534 °F at 1,013 hPa |
| g) Flash point | ()Not applicable |
| h) Evaporation rate | No data available |
| i) Flammability (solid, gas) | No data available |
| j) Upper/lower flammability or explosive limits | No data available |

| | |
|--|---|
| k) Vapor pressure | No data available |
| l) Vapor density | 1.38 - (Air = 1.0) |
| m) Density | 2.13 g/cm ³ at 20 °C (68 °F) |
| Relative density | No data available |
| n) Water solubility | 1,090 g/l at 20 °C (68 °F) |
| o) Partition coefficient: n-octanol/water | Not applicable for inorganic substances |
| p) Autoignition temperature | No data available |
| q) Decomposition temperature | No data available |
| r) Viscosity | No data available |
| s) Explosive properties | No data available |
| t) Oxidizing properties | none |

9.2 Other safety information

| | |
|---------------------------|-----------------------|
| Dissociation constant | 14.8 at 25 °C (77 °F) |
| Relative vapor density | 1.38 - (Air = 1.0) |

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Acetone
Chlorine
Ethylene oxide
Fluorine
Hydrogen halides
Hydrazine hydrate
hydroxylamine
Acid anhydrides
Acrolein
Acid chlorides
Acids
sulfuric acid
Chloroform
Water
hydrogen peroxide

anhydrides
phosphides
halogen-halogen compounds
trichloroethene
can decompose violently in contact with:
Organic Substances
hydrogen sulphide
Risk of ignition or formation of inflammable gases or vapours with:
powdered aluminium
Ammonium salts
persulfates
Sodium borohydride
phosphorus
Oxides of phosphorus
Halogenated hydrocarbon
Light metals
Metals
Risk of explosion/exothermic reaction with:
Bromine
Calcium
in powder form
furfuryl alcohol
Nitromethane
Peroxides
organic nitro compounds
Nitriles
Acrylic monomers
Chloroform
with
Acetone
Nitrobenzene
with
Methanol
Nitrobenzene
with
salts
magnesium
Zinc
and
Tin
(in the presence of atmospheric oxygen and/or moisture)

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Inhalation: Corrosive to respiratory system.

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages: , damage of respiratory tract

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns.

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Patch test: - In vitro study

Result: negative

Remarks: (ECHA)

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis,

Millipore - 1.06498

Page 9 of 12

pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h
Remarks: (ECOTOX Database)

Toxicity to daphnia EC50 - Ceriodaphnia (water flea) - 40.4 mg/l - 48 h
and other aquatic Remarks: (ECHA)
invertebrates

Toxicity to bacteria EC50 - Photobacterium phosphoreum - 22 mg/l - 15 min
Remarks: (External MSDS)

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Harmful effect due to pH shift.
Forms corrosive mixtures with water even if diluted.
Neutralisation possible in waste water treatment plants.
Discharge into the environment must be avoided.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14: Transport information**DOT (US)**

UN number: 1823 Class: 8 Packing group: II
Proper shipping name: Sodium hydroxide, solid
Reportable Quantity (RQ): 1000 lbs
Poison Inhalation Hazard: No

IMDG

UN number: 1823 Class: 8 Packing group: II EMS-No: F-A, S-B
Proper shipping name: SODIUM HYDROXIDE, SOLID

IATA

UN number: 1823 Class: 8 Packing group: II
Proper shipping name: Sodium hydroxide, solid

SECTION 15: Regulatory information**CERCLA Reportable Quantity**

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------------|-----------|--------------------|-----------------------------|
| sodium hydroxide | 1310-73-2 | 1000 | 1000 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 313

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations**Massachusetts Right To Know**

sodium hydroxide 1310-73-2

Maine Chemicals of High Concern

sodium hydroxide 1310-73-2

Millipore - 1.06498

Page 11 of 12

Vermont Chemicals of High Concern

sodium hydroxide

1310-73-2

Washington Chemicals of High Concern

sodium hydroxide

1310-73-2

The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16: Other information**Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.15

Revision Date: 02/11/2025

Print Date: 02/12/2025