



June 18, 2010

Purchasing Manager

Dear Customer,

We are contacting you, in writing, to notify you of a product change.

Product Description: **DiSodium Hydrogen Phosphate Dihydrate, EMPROVE EXP, Ph Eur, BP, USP**

Item No: **1.06576 (all product sizes)**

We have been informed of the following change from Merck KGaA. The specification for this product is being changed due to the ongoing process of adaptation and actualization of our specification to the declared pharmacopoeias. The change of the specification does not impact the manufacturing process and the methods of analysis.

We expand the parameter pH-value from 9.0 – 9.2 up to 8.9 – 9.2

This change will be valid immediately with batch no. K 40869776 from March 2010. Batch numbers in subsequently ascending order are concerned of this alteration.

Other parameters of the specification remain unchanged.

Please contact our technical service department if you need further assistance to qualify this manufacturing site improvement. Please contact your EMD sales representative if you need evaluation samples (when available).

Our sincere apologies for any inconvenience this may cause you. We remain committed to providing you with the highest quality products and service.

Thank you for your continued support of EMD Chemicals' products.

Sincerely,

A handwritten signature in black ink, appearing to read "Joe Schoellkopff". The signature is written in a cursive, flowing style.

Joe Schoellkopff
Quality Assurance Manager

Email: joe.schoellkopff@emdchemicals.com