# SAFETY DATA SHEET

Version 8.3
Revision Date 08/08/2025
Print Date 08/09/2025

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : CITRAJET(R) DETERGENT, LOW FOAM LIQUID ACID CLEANER/RINSE, JERRYCAN

Product Number : Z742927
Brand : Aldrich

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin corrosion : Category 1B

Serious eye damage : Category 1



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Other hazards**

None known.

**GHS label elements**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H314 Causes severe skin burns and eye damage.

Precautionary statements :

**Prevention:**

P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

**Components**

| Chemical name | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|---|---|---|---|



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| | | | |
|---|---|---|---|
| citric acid | 77-92-9* | >= 10 - < 20 | - |
| Glycolic acid | 79-14-1* | >= 5 - < 10 | - |
| Triethanolamine | 102-71-6* | >= 5 - < 10 | - |
| Alcohols, C8-10, ethoxylated propoxylated | 68603-25-8* | >= 1 - < 5 | - |

* Indicates that the identifier is a CAS No.
Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

| | | |
|---|---|---|
| General advice | : | First aiders need to protect themselves.<br>Show this safety data sheet to the doctor in attendance. |
| If inhaled | : | After inhalation: fresh air. Call in physician. |
| In case of skin contact | : | In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.<br>Call a physician immediately. |
| In case of eye contact | : | After eye contact: rinse out with plenty of water.<br>Immediately call in ophthalmologist.<br>Remove contact lenses. |
| If swallowed | : | After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation).<br>Call a physician immediately.<br>Do not attempt to neutralise. |
| Most important symptoms and effects, both acute and delayed | : | The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 |
| Protection of first-aiders | : | For personal protection see section 8. |
| Notes to physician | : | No data available |

## SECTION 5. FIREFIGHTING MEASURES

| | | |
|---|---|---|
| Suitable extinguishing media | : | Foam<br>Carbon dioxide (CO2)<br>Dry powder |
| Unsuitable extinguishing media | : | For this substance/mixture no limitations of extinguishing agents are given. |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| | | |
|---|---|---|
| Specific hazards during fire fighting | : | Mixture with combustible ingredients.<br><br>Development of hazardous combustion gases or vapours possible in the event of fire. |
| Hazardous combustion products | : | Carbon oxides<br><br>Nitrogen oxides (NOx)<br><br>Oxides of phosphorus<br><br>Potassium oxides |
| Specific extinguishing methods | : | No data available |
| Further information | : | Suppress (knock down) gases/vapours/mists with a water spray jet.<br>Prevent fire extinguishing water from contaminating surface water or the ground water system. |
| Special protective equipment for fire-fighters | : | Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing. |

## SECTION 6. ACCIDENTAL RELEASE MEASURES

| | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Advice for non-emergency personnel:<br>Do not breathe vapours, aerosols.<br>Avoid substance contact.<br>Ensure adequate ventilation.<br>Evacuate the danger area, observe emergency procedures, consult an expert.<br>Advice for emergency responders:<br>For personal protection see section 8. |
| Environmental precautions | : | Do not let product enter drains. |
| Methods and materials | : | Cover drains. Collect, bind, and pump off spills. |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada



| | |
|---|---|
| for containment and cleaning up | Observe possible material restrictions (see sections 7 and 10).<br>Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area. |

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

| | | |
|---|---|---|
| Further information on storage conditions | : | Tightly closed.<br>Keep locked up or in an area accessible only to qualified or authorised persons. |
| Storage class | : | 8A, Combustible, corrosive hazardous materials |
| Recommended storage temperature | : | 59 - 77 °F / 15 - 25 °C |

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Ingredients with workplace control parameters**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---|---|---|---|---|
| Triethanolamine | 102-71-6 | TWA | 5 mg/m3 | ACGIH |

**Engineering measures** : No data available

**Personal protective equipment**

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Hand protection

| | | |
|---|---|---|
| Remarks | : | required |
| Eye protection | : | Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).<br>Tightly fitting safety goggles |
| Skin and body protection | : | protective clothing |
| Hygiene measures | : | Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. |

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|---|---|---|
| Appearance | : | liquid |
| Color | : | amber |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| pH | : | No data available |
| Melting point | : | No data available |
| Boiling point/boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | No data available |
| Flammability (liquids) | : | No data available |
| Burning rate | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| | | |
|---|---|---|
| Relative vapour density | : | No data available |
| Relative density | : | No data available |
| Density | : | No data available |
| Water solubility | : | No data available |
| Partition coefficient: n-octanol/water | : | No data available |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity, dynamic | : | No data available |
| Viscosity, kinematic | : | No data available |
| Flow time | : | No data available |
| Explosive properties | : | Not classified as explosive. |
| Oxidizing properties | : | none |
| Particle characteristics<br>Particle size | : | No data available |

## SECTION 10. STABILITY AND REACTIVITY

| | | |
|---|---|---|
| Reactivity | : | No data available |
| Chemical stability | : | The product is chemically stable under standard ambient conditions (room temperature) . |
| Possibility of hazardous reactions | : | No data available |
| Conditions to avoid | : | no information available |
| Incompatible materials | : | Strong oxidizing agents |
| Hazardous decomposition products | : | In the event of fire: see section 5 |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

**Acute toxicity**
Oral: No data available

Inhalation: No data available

Dermal: No data available

**Skin corrosion/irritation**
No data available

**Serious eye damage/eye irritation**
No data available

**Respiratory or skin sensitization**
No data available

**Germ cell mutagenicity**
No data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**
No data available

**Specific target organ toxicity - single exposure**
No data available

**Specific target organ toxicity - repeated exposure**
No data available

**Aspiration hazard**
No data available

### 11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Components:**

**citric acid:**



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l<br>Exposure time: 96 h<br>Remarks: (IUCLID) |
| Toxicity to algae/aquatic plants | : | NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l<br>Exposure time: 8 h<br>Test Type: static test<br>Remarks: (ECHA) |
| Toxicity to microorganisms | : | EC5 (Pseudomonas putida): > 10,000 mg/l<br>Exposure time: 16 h<br>Remarks: (maximum permissible toxic concentration) (Lit.) |

**Glycolic acid:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l<br>End point: mortality<br>Exposure time: 96 h<br>Test Type: semi-static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 203<br>GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l<br>End point: Immobilization<br>Exposure time: 48 h<br>Test Type: semi-static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 202<br>GLP: yes |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata): > 100 mg/l<br>Exposure time: 72 h<br>Test Type: static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 201<br>GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): >= 89.6 mg/l<br>End point: reproduction rate<br>Exposure time: 21 d<br>Test Type: semi-static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 211<br>GLP: yes |
| Toxicity to microorganisms | : | NOEC (activated sludge): 100 mg/l<br>Exposure time: 3 h |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Test Type: static test
Method: OECD Test Guideline 209
GLP: yes

**Ecotoxicology Assessment**

| | | |
|---|---|---|
| Acute aquatic toxicity | : | This product has no known ecotoxicological effects. |
| Chronic aquatic toxicity | : | This product has no known ecotoxicological effects. |

**Triethanolamine:**

| | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 11,800 mg/l<br>End point: mortality<br>Exposure time: 96 h<br>Test Type: flow-through test<br>Analytical monitoring: yes<br>Remarks: (ECHA) |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Ceriodaphnia dubia (water flea)): 609.88 mg/l<br>End point: mortality<br>Exposure time: 48 h<br>Test Type: static test<br>Remarks: (ECHA) |
| Toxicity to algae/aquatic plants | : | ErC50 (Desmodesmus subspicatus (green algae)): 216 mg/l<br>Exposure time: 72 h<br>Test Type: static test<br>Method: DIN 38412<br>Remarks: (ECHA) |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 16 mg/l<br>End point: mortality<br>Exposure time: 21 d<br>Test Type: semi-static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 211 |
| Toxicity to microorganisms | : | IC50 (activated sludge): > 1,000 mg/l<br>Exposure time: 3 h<br>Test Type: static test<br>Method: OECD Test Guideline 209 |

**Ecotoxicology Assessment**

| | | |
|---|---|---|
| Acute aquatic toxicity | : | This product has no known ecotoxicological effects. |
| Chronic aquatic toxicity | : | This product has no known ecotoxicological effects. |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

**Persistence and degradability**

**Components:**

**citric acid:**

| | | |
|---|---|---|
| Biodegradability | : | aerobic<br>Result: Readily biodegradable.<br>Biodegradation: 97 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 301B |
| Biochemical Oxygen Demand (BOD) | : | 526 mg/g<br>Incubation time: 5 d<br>Remarks: (IUCLID) |
| Chemical Oxygen Demand (COD) | : | 728 mg/g<br>Remarks: (IUCLID) |

**Glycolic acid:**

| | | |
|---|---|---|
| Biodegradability | : | aerobic<br>Inoculum: activated sludge, non-adapted<br>Concentration: 31.7 mg/l<br>Result: Readily biodegradable.<br>Biodegradation: 83.9 %<br>Exposure time: 28 d<br>Method: OECD Test Guideline 310<br>GLP: yes |

**Triethanolamine:**

| | | |
|---|---|---|
| Biodegradability | : | aerobic<br>Inoculum: activated sludge<br>Concentration: 0.315 mg/l<br>Result: rapidly biodegradable<br>Biodegradation: ca. 100 %<br>Exposure time: 5 d<br>Remarks: (ECHA) |
| ThOD | : | 2,040 mg/g<br>Remarks: (IUCLID) |

**Bioaccumulative potential**

**Components:**

**citric acid:**

| | | |
|---|---|---|
| Partition coefficient: n-octanol/water | : | log Pow: -1.72 (68 °F / 20 °C)<br>Method: OECD Test Guideline 117<br>Remarks: Bioaccumulation is not expected. |

**Glycolic acid:**



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada



| | | |
|---|---|---|
| Partition coefficient: n-octanol/water | : | log Pow: < -1.2 (68 °F / 20 °C)<br>pH: 7<br>Method: OECD Test Guideline 117<br>GLP: yes<br>Remarks: Bioaccumulation is not expected. |

**Triethanolamine:**

| | | |
|---|---|---|
| Bioaccumulation | : | Species: Cyprinus carpio (Carp)<br>Bioconcentration factor (BCF): < 3.9<br>Exposure time: 6 Weeks<br>Temperature: 77 °F / 25 °C<br>Concentration: 0.25 mg/l<br>Method: OECD Test Guideline 305<br><br>Species: Cyprinus carpio (Carp)<br>Bioconcentration factor (BCF): < 0.4<br>Exposure time: 6 Weeks<br>Temperature: 77 °F / 25 °C<br>Concentration: 2.5 mg/l<br>Method: OECD Test Guideline 305 |

**Mobility in soil**

No data available

**Other adverse effects**

**Components:**

**Glycolic acid:**

| | | |
|---|---|---|
| Results of PBT and vPvB assessment | : | Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII. |
| Additional ecological information | : | May be harmful to aquatic organisms due to the shift of the pH.<br>Avoid release to the environment. |

**Triethanolamine:**

| | | |
|---|---|---|
| Results of PBT and vPvB assessment | : | Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII. |

## SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

| | | |
|---|---|---|
| Waste from residues | : | Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product |



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

itself.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

**IATA-DGR**

| | | |
|---|---|---|
| UN/ID No. | : | UN 3265 |
| Proper shipping name | : | Corrosive liquid, acidic, organic, n.o.s. (Glycolic acid) |
| Class | : | 8 |
| Packing group | : | II |
| Labels | : | Class 8 - Corrosive substances |
| Packing instruction (cargo aircraft) | : | 855 |
| Packing instruction (passenger aircraft) | : | 851 |

**IMDG-Code**

| | | |
|---|---|---|
| UN number | : | UN 3265 |
| Proper shipping name | : | CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Glycolic acid) |
| Class | : | 8 |
| Packing group | : | II |
| Labels | : | 8 |
| EmS Code | : | F-A, S-B |
| Marine pollutant | : | no |

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

### National Regulations

**49 CFR Road**

| | | |
|---|---|---|
| UN/ID/NA number | : | UN 3265 |
| Proper shipping name | : | Corrosive liquid, acidic, organic, n.o.s. (Glycolic acid) |
| Class | : | 8 |
| Packing group | : | II |
| Labels | : | Class 8 - Corrosive substances |
| ERG Code | : | 153 |
| Marine pollutant | : | no |
| Poison Inhalation Hazard | : | No |

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

## SECTION 15. REGULATORY INFORMATION

**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations**

**Massachusetts Right To Know**

| | |
|---|---|
| water | 7732-18-5 |
| Triethanolamine | 102-71-6 |

**Pennsylvania Right To Know**

| | |
|---|---|
| Triethanolamine | 102-71-6 |

**Maine Chemicals of High Concern**

| | |
|---|---|
| water | 7732-18-5 |

**Vermont Chemicals of High Concern**

| | |
|---|---|
| water | 7732-18-5 |

**Washington Chemicals of High Concern**

| | |
|---|---|
| water | 7732-18-5 |

**The components of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

**TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response,



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.
Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 08/08/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.



The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada