

• SAFETY DATA SHEET

Version 8.15
Revision Date 12/19/2025
Print Date 12/20/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Phosphate Cell Test (o-phosphate and total phosphorous)
Method: photometric, PMB 3.0 - 100.0 mg/l PO₄-P
9 - 307 mg/l PO₄³⁻
7 - 229 mg/l P₂O₅ Spectroquant®

Product Number : 1.00673
Catalogue No. : 100673
Brand : Millipore

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis
Uses advised against :

The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Oxidizing liquids	: Category 3
Corrosive to metals	: Category 1
Acute toxicity (Oral)	: Category 4
Skin irritation	: Category 2
Eye irritation	: Category 2A
Respiratory sensitisation	: Category 1
Skin sensitisation	: Category 1
Specific target organ toxicity - single exposure	: Category 3 (Respiratory system)
Short-term (acute) aquatic hazard	: Category 3

Other hazards

None known.

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H402 Harmful to aquatic life.

Precautionary statements :

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P234 Keep only in original packaging.

P261 Avoid breathing mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P285 In case of inadequate ventilation wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P390 Absorb spillage to prevent material damage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Refer to component SDS

SECTION 4. FIRST AID MEASURES

Refer to component SDS

SECTION 5. FIREFIGHTING MEASURES

Refer to component SDS

SECTION 6. ACCIDENTAL RELEASE MEASURES

Refer to component SDS

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling	:	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Conditions for safe storage	:	No metal containers.
Further information on storage conditions	:	Tightly closed. Keep locked up or in an area accessible only to qualified or authorised persons. Do not store near combustible materials.
Storage class	:	5.1B, Oxidizing hazardous materials
Recommended storage temperature	:	59 - 77 °F / 15 - 25 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Refer to component SDS

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Refer to component SDS

SECTION 10. STABILITY AND REACTIVITY

Refer to component SDS

SECTION 11. TOXICOLOGICAL INFORMATION

Refer to component SDS

SECTION 12. ECOLOGICAL INFORMATION

Refer to component SDS

SECTION 13. DISPOSAL CONSIDERATIONS

Refer to component SDS

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA-DGR**

UN/ID No. : UN 3316
Proper shipping name : Chemical kit
Class : 9
Packing group : II
Labels : Class 9 - Miscellaneous dangerous substances and articles
Packing instruction (cargo aircraft) : 960
Packing instruction (passenger aircraft) : 960

IMDG-Code

UN number : UN 3316
Proper shipping name : CHEMICAL KIT
Class : 9
Packing group : II
Labels : 9
EmS Code : F-A, S-P
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations**49 CFR Road**

UN/ID/NA number : UN 3316
Proper shipping name : Chemical kits
Class : 9

Millipore - 1.00673

Page 5 of 11

Packing group : II
Labels : Class 9 - Miscellaneous dangerous substances and articles
ERG Code : 171
Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SECTION 16. OTHER INFORMATION

Kit Components:

P	Millipore	280432
P-1K	Millipore	271650
P-2K	Millipore	271495
P-3K	Millipore	218697

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent,

Millipore - 1.00673

Page 6 of 11

Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.


Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.


Revision Date : 12/19/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN


Kit Components:

P					
Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
Millipore - 280432		Warning	May be corrosive to metals.	Keep only in original packaging. Absorb spillage to prevent material damage. Store in a corrosion resistant container with a resistant inner liner.	

P-1K					
Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
Millipore - 271650		Danger	May intensify fire; oxidizer. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Harmful to aquatic life.	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/ container to an approved waste disposal plant. Keep away from clothing and other	

				<p>combustible materials. IF ON SKIN: Wash with plenty of water. Store locked up. Avoid breathing dust. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. Wash skin thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not eat, drink or smoke when using this product. If skin irritation or rash occurs: Get medical advice/ attention. Use only outdoors or in a well-ventilated area. If eye irritation persists: Get medical advice/ attention. Contaminated work clothing must not be allowed out of the workplace. If experiencing respiratory</p>	
--	--	--	--	---	--

				<p>symptoms: Call a POISON CENTER/ doctor. Avoid release to the environment. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Wear protective gloves/ protective clothing/ eye protection/ face protection. In case of inadequate ventilation wear respiratory protection.</p>	
--	--	--	--	--	--

P-2K					
Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
Millipore - 271495		Warning	<p>May be corrosive to metals. Causes skin irritation. Causes serious eye irritation.</p>	<p>Keep only in original packaging. IF ON SKIN: Wash with plenty of water. Store in a corrosion resistant container with a resistant inner liner. Wash skin thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Wear protective gloves/ eye</p>	

				protection/ face protection. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material damage.	
--	--	--	--	--	--

P-3K					
Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
Millipore - 218697		Warning	May form combustible dust concentrations in air.		