

• SAFETY DATA SHEET

Version 8.10
Revision Date 02/05/2026
Print Date 02/06/2026

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : ICP Multi element standard solution IV certified reference material (23 elements in diluted nitric acid) Certipur®

Product Number : 1.04498
Catalogue No. : 104498
Brand : Millipore

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Corrosive to metals : Category 1

Skin corrosion : Sub-category 1B

Serious eye damage : Category 1

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 2

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

Other hazards

Corrosive to the respiratory tract.

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H340 May cause genetic defects.
 H350 May cause cancer.
 H360 May damage fertility or the unborn child.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : Corrosive to the respiratory tract.

Precautionary statements : **Prevention:**
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P234 Keep only in original packaging.
 P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves, protective clothing, eye protection and face protection.
P285 In case of inadequate ventilation wear respiratory protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P390 Absorb spillage to prevent material damage.
P391 Collect spillage.

Storage:

P405 Store locked up.
P406 Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture
CAS-No. : Not Assigned

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
nitric acid	7697-37-2*	>= 5 - <= 10	TSC
boric acid	10043-35-3*	>= 0.1 - <= 1	TSC
Chromium(III) nitrate	13548-38-4*	>= 0.1 - <= 1	TSC
nickel(II) nitrate	13138-45-9*	>= 0.1 - <= 1	TSC
Cobalt(II) nitrate	10141-05-6*	>= 0.1 - <= 1	TSC
Copper(II) nitrate	3251-23-8*	>= 0.1 - <= 1	TSC
Zinc nitrate	7779-88-6*	>= 0.1 - <= 1	TSC
Cadmium nitrate	10325-94-7*	>= 0.1 - <= 1	TSC
Barium nitrate	10022-31-8*	>= 0.1 - <= 1	TSC
Lead(II) nitrate	10099-74-8*	>= 0.1 - <= 1	TSC
Silver nitrate	7761-88-8*	>= 0.1 - <= 1	TSC
Thallium(I) nitrate	10102-45-1*	>= 0.1 - <= 1	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : First aiders need to protect themselves.
Show this safety data sheet to the doctor in attendance.
- If inhaled : After inhalation: fresh air. Call in physician.
- In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
Call a physician immediately.
- In case of eye contact : After eye contact: rinse out with plenty of water.
Immediately call in ophthalmologist.
Remove contact lenses.
- If swallowed : After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation).
Call a physician immediately.
Do not attempt to neutralise.

- Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- Protection of first-aiders : For personal protection see section 8.
- Notes to physician : No data available

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.
- Specific hazards during fire fighting : Not combustible.
- Ambient fire may liberate hazardous vapours.
- Hazardous combustion products : Nitrogen oxides (NO_x)
- Specific extinguishing methods : No data available
- Further information : Suppress (knock down) gases/vapours/mists with a water spray jet.
Prevent fire extinguishing water from contaminating surface water or the ground water system.
- Special protective equipment for fire-fighters : Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:
Do not breathe vapours, aerosols.
Avoid substance contact.
Ensure adequate ventilation.

Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

For personal protection see section 8.

Environmental precautions : Do not let product enter drains.

Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Conditions for safe storage : No metal containers.

Further information on storage conditions : Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Storage class : 6.1D, Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

Recommended storage temperature : 59 - 77 °F / 15 - 25 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
nitric acid	7697-37-2	TWA	2 ppm	ACGIH
		STEL	4 ppm	ACGIH
		ST	4 ppm 10 mg/m ³	NIOSH REL
		TWA	2 ppm	NIOSH REL

Millipore - 1.04498

Page 6 of 38

			5 mg/m ³	
		TWA	2 ppm 5 mg/m ³	OSHA Z-1
boric acid	10043-35-3	TWA (Inhalable particulate matter)	2 mg/m ³ (Borate)	ACGIH
		STEL (Inhalable particulate matter)	6 mg/m ³ (Borate)	ACGIH
Chromium(III) nitrate	13548-38-4	TWA	0.5 mg/m ³ (chromium)	OSHA Z-1
		TWA	0.5 mg/m ³ (chromium)	NIOSH REL
nickel(II) nitrate	13138-45-9	TWA	1 mg/m ³ (Nickel)	OSHA Z-1
		TWA (Inhalable particulate matter)	0.1 mg/m ³ (Nickel)	ACGIH
		TWA	0.015 mg/m ³ (Nickel)	NIOSH REL
Cobalt(II) nitrate	10141-05-6	TWA (Inhalable particulate matter)	0.02 mg/m ³ (Cobalt)	ACGIH
Copper(II) nitrate	3251-23-8	TWA	1 mg/m ³ (Copper)	NIOSH REL
Cadmium nitrate	10325-94-7	TWA	0.01 mg/m ³ (cadmium)	ACGIH
		TWA (Respirable particulate matter)	0.02 mg/m ³ (cadmium)	ACGIH
		PEL	0.005 mg/m ³ (cadmium)	OSHA CARC
Barium nitrate	10022-31-8	TWA	0.5 mg/m ³ (Barium)	NIOSH REL
		TWA	0.5 mg/m ³ (Barium)	OSHA Z-1
		TWA	0.5 mg/m ³ (Barium)	ACGIH
Lead(II) nitrate	10099-74-8	TWA	0.05 mg/m ³ (Lead)	ACGIH
		PEL	0.05 mg/m ³ (Lead)	OSHA CARC
		TWA	0.05 mg/m ³ (Lead)	NIOSH REL
Silver nitrate	7761-88-8	TWA	0.01 mg/m ³ (Silver)	OSHA Z-1

		TWA	0.01 mg/m ³ (Silver)	ACGIH
		TWA	0.01 mg/m ³ (Silver)	NIOSH REL
Thallium(I) nitrate	10102-45-1	TWA	0.1 mg/m ³ (Thallium)	OSHA Z-1
		TWA (Inhalable particulate matter)	0.02 mg/m ³ (Thallium)	ACGIH
		TWA	0.1 mg/m ³ (Thallium)	NIOSH REL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
nickel(II) nitrate	13138-45-9	Nickel (Nickel)	Urine	End of shift at end of workweek	5 µg/l	ACGIH BEI
		Nickel (Nickel)	Urine	End of shift at end of workweek	30 µg/l	ACGIH BEI
Cobalt(II) nitrate	10141-05-6	Cobalt (Cobalt)	Urine	End of shift at end of workweek	15 µg/l	ACGIH BEI
Cadmium nitrate	10325-94-7	cadmium (cadmium)	In blood	Not critical	5 µg/l	ACGIH BEI
		cadmium (cadmium)	Urine	Not critical	5 µg/g creatinine	ACGIH BEI
Lead(II) nitrate	10099-74-8	Lead (Lead)	In blood	Not critical	200 µg/l	ACGIH BEI

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection

system.

Recommended Filter type: : Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Remarks : required

Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Tightly fitting safety goggles

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : clear

Color : dark blue, violet

Odor : No data available

Odor Threshold : No data available
pH : No data available

Melting point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Millipore - 1.04498

Page 9 of 38

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

The logo for MilliporeSigma, featuring the word "MILLIPORE" in a bold, green, sans-serif font above the word "SIGMA" in a similar bold, green, sans-serif font.

Burning rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.090 g/mL
Water solubility	: No data available
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: Not classified as explosive.
Oxidizing properties	: none
Particle characteristics Particle size	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No data available
Chemical stability	: The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	: Violent reactions possible with: The generally known reaction partners of water.

Conditions to avoid : no information available

Incompatible materials : Metals

Hazardous decomposition : In the event of fire: see section 5 products

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Mixture

Acute toxicity

Acute toxicity estimate Oral - 3,687 mg/kg
(Calculation method)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Symptoms: Possible symptoms:, mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute toxicity estimate Inhalation - 4 h - > 20 mg/l - vapour(Calculation method)

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.
Risk of blindness!

Respiratory or skin sensitization

Mixture may cause allergy or asthma symptoms or breathing difficulties if inhaled. Mixture may cause an allergic skin reaction.

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: 1 - Group 1: Carcinogenic to humans (nickel(II) nitrate)

IARC: 1 - Group 1: Carcinogenic to humans (Cadmium nitrate)

IARC: 2A - Group 2A: Probably carcinogenic to humans (Cobalt(II) nitrate)

NTP: Known - Known to be human carcinogen (nickel(II) nitrate)

NTP: Known - Known to be human carcinogenThe reference note has been added by TD based on the background information of the NTP. (Cadmium nitrate)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Cobalt(II) nitrate)

OSHA: 1910.1027 (Cadmium nitrate)

OSHA specifically regulated carcinogen (Cadmium nitrate)

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Millipore - 1.04498

Page 11 of 38

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Components

nitric acid

Acute toxicity

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 2.65 mg/l - vapour
(Expert judgement)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Remarks: Causes poorly healing wounds.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns.

Remarks: (IUCLID)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

boric acid

Acute toxicity

LD50 Oral - Rat - male and female - 3,450 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - > 2.12 mg/l - dust/mist
(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 24 h

(OECD Test Guideline 405)

Respiratory or skin sensitization

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: sister chromatid exchange assay

Test system: Chinese hamster ovary cells

Result: negative

Remarks: (ECHA)

Test Type: Ames test

Test system: *S. typhimurium*

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Mutagenicity (mammal cell test):

Test system: Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

May damage fertility.

May damage the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

Chromium(III) nitrate

Acute toxicity

LD50 Oral - Rat - male and female - 1,410 - 1,540 mg/kg
(OECD Test Guideline 401)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

Maximisation Test - Guinea pig

Result: positive

The product is a skin sensitiser, sub-category 1B.

(OECD Test Guideline 406)

Remarks: The value is given in analogy to the following substances: chromium(III) chloride

Germ cell mutagenicity

Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Result: negative

Test Type: sister chromatid exchange assay

Test system: Chinese hamster ovary cells

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male

Result: negative

Remarks: The value is given in analogy to the following substances: Chromium trinitrate

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

nickel(II) nitrate

Acute toxicity

LD50 Oral - Rat - male - 325 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 1.3 - 4.5 mg/l - dust/mist

(OECD Test Guideline 403)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximisation Test - Guinea pig

Result: positive

May cause an allergic skin reaction.

(Maximisation Test)

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Cobalt(II) nitrate

Acute toxicity

LD50 Oral - Rat - male and female - 978 mg/kg

(OECD Test Guideline 401)

Remarks: (in analogy to similar compounds)

The value is given in analogy to the following substances: Cobaltous nitrate, hexahydrate

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.
(OECD Test Guideline 405)

Respiratory or skin sensitization

May cause allergic skin reaction. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure.
- Lungs

Aspiration hazard

No data available

Copper(II) nitrate**Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - In vitro study

Result: Corrosive

(OECD Test Guideline 431)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Maximisation Test - Guinea pig

Result: negative
(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test
Test system: Salmonella typhimurium
Result: negative
Method: OECD Test Guideline 486
Species: Rat - male
Result: negative
Method: Regulation (EC) No. 440/2008, Annex, B.12
Species: Mouse - male and female
Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Zinc nitrate

Acute toxicity

LD50 Oral - Rat - female - 2,000 mg/kg
(OECD Test Guideline 423)
Remarks: (for the hexahydrate)
Inhalation: No data available
Dermal: No data available

Skin corrosion/irritation

Skin - EPISKIN Human Skin Model Test
(OECD Test Guideline 439)
Remarks: (for the hexahydrate)

Serious eye damage/eye irritation

Remarks: Causes serious eye irritation.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Cadmium nitrate**Acute toxicity**

Acute toxicity estimate Oral - Not tested on animals - 100.1 mg/kg

(Expert judgement)

Acute toxicity estimate Inhalation - Not tested on animals - 0.051 mg/l - dust/mist

(Expert judgement)

Acute toxicity estimate Dermal - Not tested on animals - 1,100.1 mg/kg

(Expert judgement)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

May cause genetic defects.

In vivo tests showed mutagenic effects

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Cadmium chloride

Test Type: comet assay

Test system: mammalian cells

Result: positive

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: cadmium sulphate

Test Type: In vitro mammalian cell gene mutation test

Test system: mammalian cells

Result: positive

Remarks: (in analogy to similar products)

Carcinogenicity

Carcinogenicity - May cause cancer.

Presumed to have carcinogenic potential for humans

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification. Chronic exposure to cadmium may cause lung and prostate cancer. Presumed to have carcinogenic potential for humans

NTP:

The reference note has been added by TD based on the

background information of the NTP.

OSHA: 1910.1027

Reproductive toxicity

May damage the unborn child.

May damage fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure.

- Kidney, Bone

Aspiration hazard

No data available

Barium nitrate

Acute toxicity

LD50 Oral - Rat - female - 50 - 300 mg/kg

(OECD Test Guideline 423)

Acute toxicity estimate Inhalation - 1.6 mg/l - dust/mist

(Expert judgement)

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: irritating

(OECD Test Guideline 405)

Respiratory or skin sensitization

Sensitisation test: - Mouse

Result: Does not cause skin sensitisation.

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Lead(II) nitrate

Acute toxicity

Oral: No data available

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Lead(II) oxide red

No data available

Skin corrosion/irritation

Skin - In vitro study

Result: non-corrosive

(OECD Test Guideline 431)

Skin - In vitro study

Result: No skin irritation - 42 min

(OECD Test Guideline 439)

Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: Causes serious eye damage. - 4 h

(OECD Test Guideline 437)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (in analogy to similar products)

(ECHA)

Species: Rat - female - Red blood cells (erythrocytes)

Result: positive

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances: lead(II) acetate

Species: Monkey - male - lymphocyte

Result: positive

Remarks: (in analogy to similar products)

(ECHA)

Species: Mouse - male - Liver cells

Result: negative

Remarks: (in analogy to similar products)

(ECHA)

Carcinogenicity

Suspected of causing cancer.

NTP: The reference note has been added by TD based on the background information of the NTP.

Reproductive toxicity

May damage the unborn child. Positive evidence from human epidemiological studies.

Suspected of damaging fertility.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

- Blood, Central nervous system, Immune system, Kidney

Aspiration hazard

No data available

Silver nitrate

Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: Causes severe burns. - 3 - 60 min

(OECD Test Guideline 431)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

Remarks: (ECHA)

Remarks: Risk of permanent damage due to staining of the cornea.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Micronucleus test

Test system: Human lymphocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: Positive results were obtained in some in vitro tests.

Method: OECD Test Guideline 474

Species: Rat - male and female

Result: Positive results were obtained in some in vivo tests.

Carcinogenicity

No data available

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure**Aspiration hazard**

No data available

Thallium(I) nitrate**Acute toxicity**

Acute toxicity estimate Oral - 5.1 mg/kg

(Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Inhalation - 4 h - 0.051 mg/l - dust/mist

(Expert judgement)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

nitric acid:

Toxicity to fish : Remarks: No data available

boric acid:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 79.7 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Method: US-EPA

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 133 mg/l
Exposure time: 48 h
Test Type: static test
Remarks: (ECOTOX Database)

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 52.4 mg/l
Exposure time: 74.5 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Chromium(III) nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 24.1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203

LC50 (Trout): 20.1 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
Remarks: The value is given in analogy to the following substances:
The value is given in analogy to the following substances: Chromium trinitrate
The value is given in analogy to the following substances: Chromium(III) nitrate

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 76.9 - 268.6 mg/l
 Exposure time: 48 h
 Remarks: (ECHA)

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.22 mg/l
 Exposure time: 72 d
 Analytical monitoring: yes
 Method: OECD Test Guideline 210

NOEC: 0.22 mg/l
 Exposure time: 72 d
 Analytical monitoring: yes
 Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.303 - 0.886 mg/l
 Exposure time: 21 d
 Method: US-EPA

NOEC (Daphnia magna (Water flea)): 0.303 - 0.886 mg/l
 Exposure time: 21 d
 Method: US-EPA

nickel(II) nitrate:

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.057 mg/l
 Exposure time: 32 d
 Test Type: flow-through test
 Analytical monitoring: yes
 Remarks: (ECHA)

Toxicity to microorganisms : EC50 (Sludge Treatment): 33 mg/l
 Exposure time: 30 min
 Method: ISO 8192

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Cobalt(II) nitrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.866 mg/l
 End point: mortality
 Exposure time: 96 h
 Test Type: semi-static test

	Analytical monitoring: yes Method: US-EPA GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Ceriodaphnia dubia (water flea)): 0.39 mg/l End point: mortality Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: US-EPA GLP: yes
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata): 0.095 mg/l Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.9 mg/l End point: mortality Exposure time: 7 d Test Type: semi-static test Analytical monitoring: yes Method: US-EPA GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): 0.02 mg/l End point: mortality Exposure time: 7 d Test Type: semi-static test Analytical monitoring: yes Method: US-EPA GLP: yes
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50 (activated sludge): 120 mg/l End point: Growth rate Exposure time: 30 min Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 209 GLP: yes

Copper(II) nitrate:

Millipore - 1.04498

Page 25 of 38

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.19 mg/l
End point: mortality
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes
Remarks: (ECHA)
The value is given in analogy to the following substances:
The value is given in analogy to the following substances: Copper(II) nitrate trihydrate

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Zinc nitrate:

Toxicity to fish : Remarks: No data available

Toxicity to algae/aquatic plants : IC50 (Selenastrum capricornutum (green algae)): 0.395 mg/l
Remarks: (ECHA)

NOEC (Selenastrum capricornutum (green algae)): 0.0552 mg/l
Remarks: (ECHA)

M-Factor (Acute aquatic toxicity) : 1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Cadmium nitrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.0132 mg/l
Exposure time: 96 h
Remarks: (ECOTOX Database) (referred to the cation)

LC50 (Ictalurus punctatus): 4.48 mg/l
Exposure time: 96 h
Test Type: flow-through test

Analytical monitoring: yes
Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 0.023 mg/l
Exposure time: 48 h
Remarks: (referred to the cation) (ECOTOX Database)

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.014 mg/l
Exposure time: 32 d
Test Type: flow-through test
Remarks: (referred to the cation) (ECOTOX Database)

M-Factor (Chronic aquatic toxicity) : 1

Barium nitrate:

Toxicity to fish : Remarks: No data available

Lead(II) nitrate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.1 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: yes
Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.8 mg/l
Exposure time: 48 h
Remarks: (ECOTOX Database)

Toxicity to algae/aquatic plants : EC50 (algae): 0.024 - 0.029 mg/l
Exposure time: 28 h
Remarks: (Lit.)

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1.337 mg/l
End point: mortality
Exposure time: 7 d
Test Type: semi-static test
Analytical monitoring: yes

GLP: yes
Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.0224 mg/l
End point: mortality
Exposure time: 7 d
Test Type: semi-static test
Analytical monitoring: yes
Method: US-EPA
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

Silver nitrate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.0012 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: yes
Method: US-EPA

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00022 mg/l
End point: mortality
Exposure time: 48 h
Test Type: semi-static test
Analytical monitoring: yes
Remarks: (ECHA)

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.00252 mg/l
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.00046 mg/l
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000351 mg/l

Exposure time: 34 d
Test Type: flow-through test
Analytical monitoring: yes
GLP: yes
Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0.0027 mg/l
Exposure time: 21 d
Test Type: semi-static test
Analytical monitoring: yes
Remarks: (ECHA)

M-Factor (Chronic aquatic toxicity) : 100

Thallium(I) nitrate:

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

nitric acid:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

boric acid:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Chromium(III) nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

nickel(II) nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Cobalt(II) nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Copper(II) nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Zinc nitrate:

Biodegradability : Result: rapidly biodegradable
Remarks: (ECHA)

Cadmium nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Barium nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Lead(II) nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Silver nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

Thallium(I) nitrate:

Biodegradability : Remarks: No data available

Bioaccumulative potential**Components:****nitric acid:**

Partition coefficient: n-octanol/water : log Pow: -2.3
Method: OECD Test Guideline 107
Remarks: Bioaccumulation is not expected.

boric acid:

Partition coefficient: n-octanol/water : log Pow: -1.09 (72 °F / 22 °C)
pH: 7.5
Method: Regulation (EC) No. 440/2008, Annex, A.8
GLP: yes
Remarks: Bioaccumulation is not expected.

Chromium(III) nitrate:

Bioaccumulation : Bioconcentration factor (BCF): 125.6
Exposure time: 20 Weeks
Temperature: 68 °F / 20 °C
Concentration: 0.05 mg/l

Bioconcentration factor (BCF): 125.6
Exposure time: 20 Weeks
Temperature: 68 °F / 20 °C
Concentration: 0.05 mg/l

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

nickel(II) nitrate:

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

Cobalt(II) nitrate:

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

Copper(II) nitrate:

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

Cadmium nitrate:

Bioaccumulation : Bioconcentration factor (BCF): 960
Exposure time: 21 d
Remarks: Can accumulate in aquatic organisms.

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

Lead(II) nitrate:

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

Silver nitrate:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 70
Exposure time: 41 d
Temperature: 68 °F / 20 °C

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

Thallium(I) nitrate:

Bioaccumulation : Remarks: No data available

Mobility in soil

Components:

Thallium(I) nitrate:

Stability in soil : Remarks: No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Components:

nitric acid:

Results of PBT and vPvB assessment : Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Additional ecological information : May be harmful to aquatic organisms due to the shift of the pH.

boric acid:

Additional ecological information : Discharge into the environment must be avoided.

Cobalt(II) nitrate:

Additional ecological information : Biological effects:

Hazard for drinking water supplies.

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Discharge into the environment must be avoided.

Copper(II) nitrate:

Millipore - 1.04498

Additional ecological information : Biological effects:

Hazard for drinking water supplies.

Further information on ecology

Discharge into the environment must be avoided.

Lead(II) nitrate:

Additional ecological information : Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Discharge into the environment must be avoided.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 2031
Proper shipping name : Nitric acid (7%)
Class : 8
Packing group : II
Labels : Class 8 - Corrosive substances
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG-Code

UN number : UN 2031
Proper shipping name : NITRIC ACID

Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR Road

UN/ID/NA number : UN 2031
Proper shipping name : Nitric acid
(7%)
Class : 8
Packing group : II
Labels : Class 8 - Corrosive substances
ERG Code : 157
Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Silver nitrate	7761-88-8	1	692

SARA 304 Extremely Hazardous Substances Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
nitric acid	7697-37-2	1000	15384

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
nitric acid	7697-37-2	1000

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

nitric acid 7697-37-2 >= 5 - < 10 %
Lithium nitrate 7790-69-4 >= 0.1 - < 1 %

magnesium nitrate	10377-60-3	>= 0.1 - < 1 %
calcium nitrate	10124-37-5	>= 0.1 - < 1 %
sodium nitrate	7631-99-4	>= 0.1 - < 1 %
nickel(II) nitrate	13138-45-9	>= 0.1 - < 1 %
Cobalt(II) nitrate	10141-05-6	>= 0.1 - < 1 %
potassium nitrate	7757-79-1	>= 0.1 - < 1 %
Strontium nitrate	10042-76-9	>= 0.1 - < 1 %
Cadmium nitrate	10325-94-7	>= 0.1 - < 1 %
Barium nitrate	10022-31-8	>= 0.1 - < 1 %
Lead(II) nitrate	10099-74-8	>= 0.1 - < 1 %
Silver nitrate	7761-88-8	>= 0.1 - < 1 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

nitric acid	7697-37-2	>= 5 - < 10 %
iron(III) nitrate	10421-48-4	>= 0.1 - < 1 %
Copper(II) nitrate	3251-23-8	>= 0.1 - < 1 %
Zinc nitrate	7779-88-6	>= 0.1 - < 1 %
Lead(II) nitrate	10099-74-8	>= 0.1 - < 1 %
Silver nitrate	7761-88-8	>= 0.1 - < 1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

nitric acid	7697-37-2	>= 5 - < 10 %
-------------	-----------	---------------

iron(III) nitrate	10421-48-4	>= 0.1 - < 1 %
nickel(II) nitrate	13138-45-9	>= 0.1 - < 1 %
Copper(II) nitrate	3251-23-8	>= 0.1 - < 1 %
Zinc nitrate	7779-88-6	>= 0.1 - < 1 %
Lead(II) nitrate	10099-74-8	>= 0.1 - < 1 %
Silver nitrate	7761-88-8	>= 0.1 - < 1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

nitric acid	7697-37-2
-------------	-----------

Pennsylvania Right To Know

nitric acid	7697-37-2
Chromium(III) nitrate	13548-38-4
iron(III) nitrate	10421-48-4
Manganese(II) nitrate	10377-66-9
nickel(II) nitrate	13138-45-9
Copper(II) nitrate	3251-23-8
Zinc nitrate	7779-88-6
Cadmium nitrate	10325-94-7
Barium nitrate	10022-31-8
Lead(II) nitrate	10099-74-8
Silver nitrate	7761-88-8
Thallium(I) nitrate	10102-45-1

Maine Chemicals of High Concern

nickel(II) nitrate	13138-45-9
--------------------	------------

Vermont Chemicals of High Concern

Cobalt(II) nitrate	10141-05-6
Cadmium nitrate	10325-94-7
Lead(II) nitrate	10099-74-8

Washington Chemicals of High Concern

Cobalt(II) nitrate	10141-05-6
Cadmium nitrate	10325-94-7

California Prop. 65

WARNING: This product can expose you to chemicals including nickel(II) nitrate, Lead(II) nitrate, which is/are known to the State of California to cause cancer, and nickel(II) nitrate, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

US TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA CARC	:	OSHA Specifically Regulated Chemicals/Carcinogens
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA CARC / PEL	:	Permissible exposure limit (PEL)
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC_x - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC₅₀ - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC₅₀ - Lethal Concentration to 50 % of a test population; LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and

Millipore - 1.04498

Page 37 of 38

Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 02/05/2026

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN