

# • SAFETY DATA SHEET

Version 8.15  
Revision Date 12/31/2025  
Print Date 01/01/2026

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : Methyl *tert*-Butyl Ether GR ACS  
Product Number : MX0819  
Catalogue No. : FX0169  
Brand : Millipore  
Index-No. : 603-181-00-X  
CAS-No. : 1634-04-4

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis  
Uses advised against :

The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES  
Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

---

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Hazards for the product as supplied

Flammable liquids : Category 2

Millipore - MX0819


Page 1 of 20

Skin irritation : Category 2

### Other hazards

None known.

### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.  
H315 Causes skin irritation.

Precautionary statements : **Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Millipore - MX0819

Page 2 of 20

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

**MILLIPORE  
SIGMA**

CAS-No. : 1634-04-4

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
tert-butyl methyl ether	1634-04-4*	>= 80 - <= 100	TSC
Methanol	67-56-1*	>= 0.5 - <= 1.5	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

---

## SECTION 4. FIRST AID MEASURES

- General advice : Show this safety data sheet to the doctor in attendance.
- If inhaled : After inhalation: fresh air.
- In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
- In case of eye contact : After eye contact: rinse out with plenty of water. Remove contact lenses.
- If swallowed : After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.
- Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- Protection of first-aiders : For personal protection see section 8.
- Notes to physician : No data available

---

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Foam  
Dry powder
- Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting : Combustible.

Pay attention to flashback.

Vapours are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Forms explosive mixtures with air at ambient temperatures.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : No data available

Further information : Remove container from danger zone and cool with water.  
Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters : Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:  
Do not breathe vapours, aerosols.  
Avoid substance contact.  
Ensure adequate ventilation.  
Keep away from heat and sources of ignition.  
Evacuate the danger area, observe emergency procedures, consult an expert.  
Advice for emergency responders:  
For personal protection see section 8.

Environmental : Do not let product enter drains.

precautions Risk of explosion.

Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Further information on storage conditions : Protected from light.

Keep container tightly closed in a dry and well-ventilated place.  
Keep away from heat and sources of ignition.

Storage class : 3, Flammable liquids

Recommended storage temperature : Recommended storage temperature see product label.

Further information on storage stability : Recommended storage temperature see product label.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
tert-butyl methyl ether	1634-04-4	TWA	50 ppm	ACGIH
Methanol	67-56-1	TWA	200 ppm	ACGIH
		STEL	250 ppm	ACGIH
		ST	250 ppm 325 mg/m <sup>3</sup>	NIOSH REL
		TWA	200 ppm 260 mg/m <sup>3</sup>	NIOSH REL
		TWA	200 ppm 260 mg/m <sup>3</sup>	OSHA Z-1

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Methanol	67-56-1	Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type AX

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### Hand protection

Material : Nitrile rubber  
Break through time : 120 min  
Glove thickness : 0.4 mm  
Protective index : Splash contact  
Manufacturer : Camatril® (KCL 730 / Aldrich Z677442, Size M)

Remarks : This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

- Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).  
Safety glasses
- Skin and body protection : Flame retardant antistatic protective clothing.
- Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid (68 °F / 20 °C, 1,013 hPa)
- Color : colourless
- Odor : characteristic
- Odor Threshold : 0.053 ppm
- pH : No data available
- Melting point : -163.5 °F / -108.6 °C  
(1,013 hPa)  
Decomposition: no
- Boiling point : 131.5 °F / 55.3 °C (1,013 hPa)  
(ECHA)
- Flash point : -18 °F / -28 °C  
(1,013 hPa)  
Method: closed cup
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Flammability (liquids) : No data available
- Burning rate : No data available
- Self-ignition : 860 °F / 460 °C  
101.3 kPa  
Method: DIN 51794
- Upper explosion limit /  
Upper flammability limit : Upper explosion limit  
8.5 %(V)

Lower explosion limit / Lower flammability limit	: 1.6 %(V)
Vapor pressure	: 330 hPa (77 °F / 25 °C) Decomposition: no Method: OECD Test Guideline 104 GLP: yes
Relative vapour density	: No data available
Relative density	: 0.74 (68 °F / 20 °C)
Density	: 0.74 g/cm <sup>3</sup> (68 °F / 20 °C)
Solubility(ies) Water solubility	: 42 g/l (68 °F / 20 °C) pH: 7 Method: OECD Test Guideline 105
Partition coefficient: n- octanol/water	: log Pow: 1.06 (68 °F / 20 °C) pH: 7 Method: OECD Test Guideline 107 Bioaccumulation is not expected.
Autoignition temperature	: 860 °F / 460 °C Method: DIN 51794
Decomposition temperature	: Distillable in an undecomposed state at normal pressure.
Viscosity Viscosity, dynamic	: 0.36 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	: 0.409 mm <sup>2</sup> /s (104 °F / 40 °C) Method: OECD Test Guideline 114 GLP: yes
	: 0.464 mm <sup>2</sup> /s (68 °F / 20 °C) Method: OECD Test Guideline 114 GLP: yes
Flow time	: No data available
Explosive properties	: Not classified as explosive.
Oxidizing properties	: none
Surface tension	: 72.5 mN/m, 1.07 g/l, 70.7 °F / 21.5 °C, Surface tension, GLP: yes
Molecular weight	: 88.15 g/mol

Millipore - MX0819

Page 8 of 20

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**MILLIPORE  
SIGMA**

Particle characteristics  
Particle size : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Vapours may form explosive mixture with air.

Chemical stability : The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions : Violent reactions possible with:  
Oxidizing agents  
Strong acids  
halogens  
Strong bases  
rubber  
various plastics

Conditions to avoid : Heat, flames and sparks.  
Warming.

Incompatible materials : No data available

Hazardous decomposition products : In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

Acute toxicity estimate Oral - 2,033 mg/kg  
(Calculation method)

LD50 Oral - Rat - male and female - > 2,000 mg/kg (tert-butyl methyl ether)  
(OECD Test Guideline 401)

Symptoms: Nausea, Vomiting, Pulmonary failure possible after aspiration of vomit.,  
Aspiration may cause pulmonary oedema and pneumonitis.

Acute toxicity estimate Inhalation - 4 h - > 200 mg/l - vapour(Calculation method)

LC50 Inhalation - Rat - male and female - 4 h - 85 mg/l - vapour  
(tert-butyl methyl ether)  
(OECD Test Guideline 403)

Symptoms: Possible damages:, mucosal irritations

Acute toxicity estimate Dermal - 2,351 mg/kg  
(Calculation method)  
LD50 Dermal - Rat - male and female - > 2,000 mg/kg (tert-butyl methyl ether)  
(OECD Test Guideline 402)

**Skin corrosion/irritation**

Skin - Rabbit (tert-butyl methyl ether)  
Result: Skin irritation - 4 h  
(OECD Test Guideline 404)  
Remarks: Drying-out effect resulting in rough and chapped skin.

**Serious eye damage/eye irritation**

Eyes - Rabbit (tert-butyl methyl ether)  
Result: No eye irritation  
(OECD Test Guideline 405)

**Respiratory or skin sensitization**

Maximisation Test - Guinea pig (tert-butyl methyl ether)  
Result: negative  
(OECD Test Guideline 406)

**Germ cell mutagenicity**

Test Type: In vitro mammalian cell gene mutation test  
(tert-butyl methyl ether)  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
Test Type: Ames test  
(tert-butyl methyl ether)  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
Test Type: Mutagenicity (mammal cell test): micronucleus.  
(tert-butyl methyl ether)  
Test system: mouse lymphoma cells  
Metabolic activation: without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
(tert-butyl methyl ether)  
Test Type: unscheduled DNA synthesis assay  
Species: Mouse  
Cell type: Liver cells  
Application Route: inhalation (vapour)  
Method: OECD Test Guideline 486  
Result: negative  
(tert-butyl methyl ether)  
Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: inhalation (vapour)  
Method: US-EPA  
Result: negative

(tert-butyl methyl ether)

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Species: Rat

Cell type: Bone marrow

Application Route: inhalation (vapour)

Method: US-EPA

Result: negative

(tert-butyl methyl ether)

Test Type: Transgenic rodent somatic cell gene mutation assay

Species: Rat

Cell type: Bone marrow

Application Route: inhalation (vapour)

Method: OECD Test Guideline 488

Result: negative

### **Carcinogenicity**

IARC: 2B - Group 2B: Possibly carcinogenic to humans (tert-butyl methyl ether)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

No data available

## **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 90 d - No observed adverse effect level - 3,000 mg/kg

Remarks: Subchronic toxicity

(tert-butyl methyl ether)

Nausea, Vomiting, Dizziness, Central nervous system depression, Aspiration or inhalation may cause chemical pneumonitis., MTBE (methyl-tert-butyl ether) is reported to metabolize to tert-butyl alcohol and formaldehyde by microsomal demethylation, MTBE (methyl-tert-butyl ether) should be considered a "potential human carcinogen" due to an increase in leydig interstitial cell tumors of testes in male rats and an increase in lymphomas, leukemias, and uterine sarcomas in female rats., In another unpublished study MTBE was shown to be carcinogenic due to "increased incidence of a rare type of kidney tumor" in male rats and an "increase in the incidence of hepatocellular adenomas" in female mice.

(tert-butyl methyl ether)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (tert-butyl methyl ether)

Systemic effects:

(tert-butyl methyl ether)

After absorption of large quantities:  
(tert-butyl methyl ether)  
somnolence  
Dizziness  
agitation, spasms  
CNS disorders  
narcosis  
Unconsciousness  
(tert-butyl methyl ether)  
Other dangerous properties can not be excluded.  
(tert-butyl methyl ether)  
Handle in accordance with good industrial hygiene and safety practice.  
(tert-butyl methyl ether)

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **tert-butyl methyl ether:**

- |   |   |   |
|---|---|---|
| Toxicity to fish                                    | : | LC50 (Menidia beryllina): 574 mg/l<br>End point: mortality<br>Exposure time: 96 h<br>Test Type: semi-static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 203                             |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Americamysis bahia (Mysid)): 187 mg/l<br>End point: Swimming behavior<br>Exposure time: 96 h<br>Test Type: flow-through test<br>Analytical monitoring: yes<br>Method: US-EPA OPPTS 850.1035<br>GLP: yes |
| Toxicity to algae/aquatic plants                    | : | IC50 (Pseudokirchneriella subcapitata (green algae)): 491 mg/l<br>Exposure time: 96 h<br>Test Type: static test<br>Analytical monitoring: yes<br>GLP: yes   |
| Toxicity to fish (Chronic toxicity)                 | : | NOEC (Pimephales promelas (fathead minnow)): 299 mg/l<br>End point: Growth inhibition<br>Exposure time: 31 d<br>Test Type: flow-through test<br>Analytical monitoring: yes<br>GLP: yes                        |

Remarks: (ECHA)

NOEC (*Pimephales promelas* (fathead minnow)): 450 mg/l

End point: mortality

Exposure time: 31 d

Test Type: flow-through test

Analytical monitoring: yes

GLP: yes

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 51 mg/l  
Exposure time: 21 d  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: OPPTS 850.1300  
GLP: yes

Toxicity to microorganisms : EC10 (*Pseudomonas putida*): 710 mg/l  
End point: Growth rate  
Exposure time: 18 h  
Test Type: static test  
GLP: yes  
Remarks: (ECHA)

#### **Methanol:**

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill)): 15,400.0 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes  
Method: US-EPA

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 18,260 mg/l  
End point: Immobilization  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): ca. 22,000.0 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (*Oryzias latipes* (Orange-red killifish)): 7,900 mg/l  
Exposure time: 200 h  
Remarks: (External MSDS)

Toxicity to : IC50 (activated sludge): > 1,000 mg/l

microorganisms                      Exposure time: 3 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 209

## **Persistence and degradability**

### **Components:**

#### **tert-butyl methyl ether:**

Biodegradability                      : aerobic  
Inoculum: activated sludge  
Concentration: 2 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes

#### **Methanol:**

Biodegradability                      : Result: Readily biodegradable.  
Biodegradation: 99 %  
Exposure time: 30 d  
Method: OECD Test Guideline 301D

Biochemical Oxygen Demand (BOD)                      : 600 - 1,120 mg/g  
Incubation time: 5 d  
Remarks: (IUCLID)

Chemical Oxygen Demand (COD)                      : 1,420 mg/g  
Remarks: (IUCLID)

ThOD                      : 1,500 mg/g  
Remarks: (Lit.)

BOD/ThOD                      : 76 %  
Remarks: Closed Bottle test  
(IUCLID)

Stability in water                      : Hydrolysis: 83 - 91 % at 19 °C(72 h)  
Remarks: Hydrolyses on contact with water.  
Hydrolyses readily.

Degradation half life: 2.2 yr  
Remarks: reaction with hydroxyl radicals  
(IUCLID)

Photodegradation                      : Degradation (direct photolysis): 50 % Degradation  
half life: 17.2 d

## Bioaccumulative potential

### Components:

#### **tert-butyl methyl ether:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 1.5  
Exposure time: 28 d  
Temperature: 77 °F / 25 °C

Partition coefficient: n-octanol/water : log Pow: 1.06 (68 °F / 20 °C)  
pH: 7  
Method: OECD Test Guideline 107  
Remarks: Bioaccumulation is not expected.

#### **Methanol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 1.0  
Exposure time: 72 d  
Temperature: 68 °F / 20 °C  
Concentration: 5 mg/l

Partition coefficient: n-octanol/water : log Pow: -0.77 (77 °F / 25 °C)  
Method: (experimental)  
Remarks: (HSDB)  
Bioaccumulation is not expected.

## Mobility in soil

### Components:

#### **Methanol:**

Stability in soil : Remarks: Will not adsorb on soil.

## Other adverse effects

### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

### Components:

#### **tert-butyl methyl ether:**

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT). Not very persistent and very bioaccumulative (vPvB).

: Substance does not meet the criteria for PBT or vPvB

according to Regulation (EC) No 1907/2006, Annex XIII.

**Methanol:**

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

Additional ecological information : Avoid release to the environment.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**IATA-DGR**

UN/ID No. : UN 2398  
Proper shipping name : Methyl tert-butyl ether  
Class : 3  
Packing group : II  
Labels : Class 3 - Flammable liquids  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353

**IMDG-Code**

UN number : UN 2398  
Proper shipping name : METHYL tert-BUTYL ETHER  
  
Class : 3  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : no

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

**National Regulations**

**49 CFR Road**

UN/ID/NA number : UN 2398

Proper shipping name : Methyl tert-butyl ether  
 Class : 3  
 Packing group : II  
 Labels : Class 3 - Flammable liquids  
 ERG Code : 127  
 Marine pollutant : no

Poison Inhalation Hazard : No

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION**

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
tert-butyl methyl ether	1634-04-4	1000	1020

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

tert-butyl 1634-04-4 >= 90 - <= 100 %  
 methyl ether

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

tert-butyl methyl 1634-04-4 >= 90 - <= 100 %  
 ether

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### **US State Regulations**

#### **Massachusetts Right To Know**

tert-butyl methyl ether 1634-04-4

#### **Pennsylvania Right To Know**

tert-butyl methyl ether 1634-04-4

Methanol 67-56-1

#### **Maine Chemicals of High Concern**

tert-butyl methyl ether 1634-04-4

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

#### **California Prop. 65**

WARNING: This product can expose you to chemicals including Methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### **The components of this product are reported in the following inventories:**

TSCA : All substances listed as active on the TSCA inventory

#### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## **SECTION 16. OTHER INFORMATION**

### **Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 12/31/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information

in the document regarding the product remains unchanged and matches the product ordered.  
For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN