

# • SAFETY DATA SHEET

Version 7.1  
Revision Date 03/05/2026  
Print Date 03/06/2026

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : Elemental Impurities according to ICH Q3D  
parenteral, cutaneous and transcutaneous,  
Standard 3

Product Number : 07368  
Brand : Sigma-Aldrich

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard  
(29 CFR 1910.1200)**

**Hazards for the product as supplied**

Corrosive to metals : Category 1

Acute toxicity (Oral) : Category 4

Acute toxicity (Dermal) : Category 4

Skin corrosion : Sub-category 1B

Serious eye damage : Category 1

### Other hazards

Corrosive to the respiratory tract.

### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H290 May be corrosive to metals.  
H302 + H312 Harmful if swallowed or in contact with skin.  
H314 Causes severe skin burns and eye damage.

Supplemental Hazard Statements : Corrosive to the respiratory tract.

Precautionary statements : **Prevention:**  
P234 Keep only in original packaging.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P390 Absorb spillage to prevent material damage.

### Storage:

P405 Store locked up.  
P406 Store in a corrosion resistant container with a

resistant inner liner.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

CAS-No. : Not Assigned

**Components**

| Chemical name     | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|-------------------|-------------------|-----------------------|--------------|
| nitric acid       | 7697-37-2*        | $\geq 3 - \leq 7$     | TSC          |
| Hydrofluoric acid | 7664-39-3*        | $\geq 0.1 - \leq 1$   | TSC          |

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

---

### SECTION 4. FIRST AID MEASURES

General advice : Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure. First aiders need to protect themselves. Show this safety data sheet to the doctor in

Sigma-Aldrich - 07368

Page 3 of 17

|                                                             |                                                                                                                                                                      |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                             | attendance.                                                                                                                                                          |
| If inhaled                                                  | : After inhalation: fresh air. Call in physician.                                                                                                                    |
| In case of skin contact                                     | : First treatment with calcium gluconate paste.                                                                                                                      |
|                                                             | In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.                                |
| In case of eye contact                                      | : After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.                                                     |
| If swallowed                                                | : After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise. |
| Most important symptoms and effects, both acute and delayed | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11                                                |
| Protection of first-aiders                                  | : For personal protection see section 8.                                                                                                                             |
| Notes to physician                                          | : No data available                                                                                                                                                  |

---

## SECTION 5. FIREFIGHTING MEASURES

|                                       |                                                                                                           |
|---------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media          | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media        | : For this substance/mixture no limitations of extinguishing agents are given.                            |
| Specific hazards during fire fighting | : Not combustible.                                                                                        |
|                                       | Ambient fire may liberate hazardous vapours.                                                              |
| Hazardous combustion products         | : Nitrogen oxides (NO <sub>x</sub> )                                                                      |
| Specific extinguishing methods        | : No data available                                                                                       |
| Further information                   | : Suppress (knock down) gases/vapours/mists with a                                                        |

water spray jet.  
Prevent fire extinguishing water from contaminating  
surface water or the ground water system.

Special protective equipment for fire-fighters : Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:  
Do not breathe vapours, aerosols.  
Avoid substance contact.  
Ensure adequate ventilation.  
Evacuate the danger area, observe emergency procedures, consult an expert.  
Advice for emergency responders:  
For personal protection see section 8.

Environmental precautions : Do not let product enter drains.

Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills.  
Observe possible material restrictions (see sections 7 and 10).  
Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® HF, Merck Art. No. 101591). Dispose of properly. Clean up affected area.

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Conditions for safe storage : No metal containers.

Further information on storage conditions : Tightly closed.

Storage class : 8B, Non-combustible, corrosive hazardous materials

Recommended storage temperature : Recommended storage temperature see product label.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Components        | CAS-No.   | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|-------------------|-----------|----------------------------------|---------------------------------------------------|-----------|
| nitric acid       | 7697-37-2 | TWA                              | 2 ppm                                             | ACGIH     |
|                   |           | STEL                             | 4 ppm                                             | ACGIH     |
|                   |           | ST                               | 4 ppm<br>10 mg/m <sup>3</sup>                     | NIOSH REL |
|                   |           | TWA                              | 2 ppm<br>5 mg/m <sup>3</sup>                      | NIOSH REL |
|                   |           | TWA                              | 2 ppm<br>5 mg/m <sup>3</sup>                      | OSHA Z-1  |
| Hydrofluoric acid | 7664-39-3 | TWA                              | 0.5 ppm<br>(Fluorine)                             | ACGIH     |
|                   |           | C                                | 2 ppm<br>(Fluorine)                               | ACGIH     |
|                   |           | C                                | 6 ppm<br>5 mg/m <sup>3</sup>                      | NIOSH REL |
|                   |           | TWA                              | 3 ppm<br>2.5 mg/m <sup>3</sup>                    | NIOSH REL |
|                   |           | TWA                              | 3 ppm                                             | OSHA Z-2  |

### Biological occupational exposure limits

| Components        | CAS-No.   | Control parameters  | Biological specimen | Sampling time                                            | Permissible concentration | Basis     |
|-------------------|-----------|---------------------|---------------------|----------------------------------------------------------|---------------------------|-----------|
| Hydrofluoric acid | 7664-39-3 | Fluoride (Fluorine) | Urine               | Prior to shift (16 hours after exposure ceases)          | 2 mg/l                    | ACGIH BEI |
|                   |           | Fluoride (Fluorine) | Urine               | End of shift (As soon as possible after exposure ceases) | 3 mg/l                    | ACGIH BEI |

**Engineering measures** : No data available

### Personal protective equipment

Sigma-Aldrich - 07368

Page 6 of 17

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Remarks : required

Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).  
Tightly fitting safety goggles

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point : No data available

Boiling point/boiling range : No data available

Flash point : No data available

|                                                     |                                 |
|-----------------------------------------------------|---------------------------------|
| Evaporation rate                                    | : No data available             |
| Flammability (solid, gas)                           | : No data available             |
| Flammability (liquids)                              | : The product is not flammable. |
| Burning rate                                        | : No data available             |
| Upper explosion limit /<br>Upper flammability limit | : No data available             |
| Lower explosion limit /<br>Lower flammability limit | : No data available             |
| Vapor pressure                                      | : No data available             |
| Relative vapour density                             | : No data available             |
| Relative density                                    | : No data available             |
| Density                                             | : No data available             |
| Water solubility                                    | : No data available             |
| Partition coefficient: n-<br>octanol/water          | : No data available             |
| Autoignition temperature                            | : No data available             |
| Decomposition<br>temperature                        | : No data available             |
| Viscosity, dynamic                                  | : No data available             |
| Viscosity, kinematic                                | : No data available             |
| Flow time                                           | : No data available             |
| Explosive properties                                | : Not classified as explosive.  |
| Oxidizing properties                                | : none                          |
| Particle characteristics<br>Particle size           | : No data available             |

---

## SECTION 10. STABILITY AND REACTIVITY

|                    |                                                   |
|--------------------|---------------------------------------------------|
| Reactivity         | : No data available                               |
| Chemical stability | : The product is chemically stable under standard |

Sigma-Aldrich - 07368

Page 8 of 17

The life science business of Merck KGaA, Darmstadt, Germany  
operates as MilliporeSigma in the US and Canada

**MILLIPORE  
SIGMA**

ambient conditions (room temperature) .

Possibility of hazardous reactions : Violent reactions possible with:  
The generally known reaction partners of water.

Conditions to avoid : no information available

Incompatible materials : Strong oxidizing agents  
Metals

Hazardous decomposition products : In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Mixture

##### Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

##### Skin corrosion/irritation

No data available

##### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Risk of blindness!

##### Respiratory or skin sensitization

No data available

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### Reproductive toxicity

No data available

##### Specific target organ toxicity - single exposure

No data available

##### Specific target organ toxicity - repeated exposure

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia. burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.  
Liver - Irregularities - Based on Human Evidence

**Components****nitric acid****Acute toxicity**

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 2.65 mg/l - vapour  
(Expert judgement)

Dermal: No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Remarks: Causes poorly healing wounds.

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Causes burns.

Remarks: (IUCLID)

Remarks: Causes serious eye damage.

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

## Hydrofluoric acid

### Acute toxicity

Oral: No data available

Inhalation: Corrosive to respiratory system.

LC50 Inhalation - Rat - 4 h - 0.58 mg/l - vapour

Remarks: (ECHA)

Dermal: No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h

(OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Remarks: Symptoms may be delayed.

Possible damages:

Necrosis

Tendency of poor wound-healing after penetration of the substance.

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns.

(OECD Test Guideline 405)

Remarks: (IUCLID)

Remarks: Causes serious eye damage.

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

Test Type: Ames test

Test system: *S. typhimurium*

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: Positive results were obtained in some in vitro tests.

Species: Rat

Remarks: Cytogenetic analysis

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

### Aspiration hazard

No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **nitric acid:**

Toxicity to fish : Remarks: No data available

##### **Hydrofluoric acid:**

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 3.7 mg/l  
End point: reproduction rate  
Exposure time: 21 d  
Test Type: static test  
Remarks: (ECHA)

### Persistence and degradability

#### Components:

##### **nitric acid:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

##### **Hydrofluoric acid:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

### Bioaccumulative potential

#### Components:

##### **nitric acid:**

Partition coefficient: n-octanol/water : log Pow: -2.3  
Method: OECD Test Guideline 107  
Remarks: Bioaccumulation is not expected.

##### **Hydrofluoric acid:**

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Sigma-Aldrich - 07368

Page 12 of 17

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

### **Components:**

#### **nitric acid:**

Results of PBT and vPvB assessment : Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Additional ecological information : May be harmful to aquatic organisms due to the shift of the pH.

#### **Hydrofluoric acid:**

Additional ecological information : Biological effects:

Harmful effect due to pH shift.

Forms toxic and corrosive mixtures with water even if diluted.

Endangers drinking-water supplies if allowed to enter soil or water.

Discharge into the environment must be avoided.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

#### **IATA-DGR**

UN/ID No. : UN 2031  
Proper shipping name : Nitric acid (5%)

Class : 8  
Packing group : II  
Labels : Class 8 - Corrosive substances  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

#### IMDG-Code

UN number : UN 2031  
Proper shipping name : NITRIC ACID

Class : 8  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR Road

UN/ID/NA number : UN 2031  
Proper shipping name : Nitric acid (5%)  
Class : 8  
Packing group : II  
Labels : Class 8 - Corrosive substances  
ERG Code : 157  
Marine pollutant : no

Poison Inhalation Hazard : No

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

| Components  | CAS-No.   | Component RQ (lbs) | Calculated product RQ (lbs) |
|-------------|-----------|--------------------|-----------------------------|
| nitric acid | 7697-37-2 | 1000               | 20000                       |
| barium      | 7440-39-3 | 1000               | 1000 (D005)                 |

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components  | CAS-No.   | Component RQ (lbs) | Calculated product RQ (lbs) |
|-------------|-----------|--------------------|-----------------------------|
| nitric acid | 7697-37-2 | 1000               | 20000                       |

Sigma-Aldrich - 07368

Page 14 of 17

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

| Components  | CAS-No.   | Component TPQ (lbs) |
|-------------|-----------|---------------------|
| nitric acid | 7697-37-2 | 1000                |

**SARA 311/312 Hazards** : Chronic Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

nitric acid                      7697-37-2                       $\geq 5 - < 10 \%$

**Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

nitric acid                      7697-37-2                       $\geq 5 - < 10 \%$

Hydrofluoric acid              7664-39-3                       $\geq 0.1 - < 1 \%$

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

nitric acid                      7697-37-2                       $\geq 5 - < 10 \%$

Hydrofluoric acid              7664-39-3                       $\geq 0.1 - < 1 \%$

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

**US State Regulations****Massachusetts Right To Know**

nitric acid                      7697-37-2

Hydrofluoric acid              7664-39-3

Chromium                      7440-47-3

**Pennsylvania Right To Know**

nitric acid                      7697-37-2

Hydrofluoric acid              7664-39-3

Chromium                      7440-47-3

**Maine Chemicals of High Concern**

Product does not contain any listed chemicals

**Vermont Chemicals of High Concern**

Molybdenum, bulk              7439-98-7

antimony                      7440-36-0

## Washington Chemicals of High Concern

antimony

7440-36-0

### The components of this product are reported in the following inventories:

US TSCA : All substances listed as active on the TSCA inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

|                 |                                                                                             |
|-----------------|---------------------------------------------------------------------------------------------|
| ACGIH           | : USA. ACGIH Threshold Limit Values (TLV)                                                   |
| ACGIH BEI       | : ACGIH - Biological Exposure Indices (BEI)                                                 |
| NIOSH REL       | : USA. NIOSH Recommended Exposure Limits                                                    |
| OSHA Z-1        | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants          |
| OSHA Z-2        | : USA. Occupational Exposure Limits (OSHA) - Table Z-2                                      |
| ACGIH / TWA     | : 8-hour, time-weighted average                                                             |
| ACGIH / STEL    | : Short-term exposure limit                                                                 |
| ACGIH / C       | : Ceiling limit                                                                             |
| NIOSH REL / TWA | : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| NIOSH REL / ST  | : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday    |
| NIOSH REL / C   | : Ceiling value not be exceeded at any time.                                                |
| OSHA Z-1 / TWA  | : 8-hour time weighted average                                                              |
| OSHA Z-2 / TWA  | : 8-hour time weighted average                                                              |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a

test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 03/05/2026

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN