

• SAFETY DATA SHEET

Version 6.20
Revision Date 12/25/2025
Print Date 12/26/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Trichloroethylene
Product Number : 46267
Brand : Sigma-Aldrich
Index-No. : 602-027-00-9
CAS-No. : 79-01-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : After June 16, 2025, this chemical/product is and can only be domestically manufactured, imported, processed, or distributed in commerce for the following purposes until the following prohibitions take effect: (1) Processing as an intermediate a) for the manufacture of HFC-134a until June 18, 2033, and b) for all other processing as a reactant/intermediate until December 18, 2026; (2) Industrial and commercial use as a solvent for open-top batch vapor degreasing until December 18, 2025; (3) Industrial and commercial use as a solvent for closed-loop batch vapor degreasing until December 18, 2025, except for industrial and commercial use in batch vapor degreasing for land-based DoD defense systems by Federal agencies and their contractors until December 18, 2029, and except for industrial and commercial use as a solvent for closed-loop batch vapor degreasing necessary for rocket engine cleaning by Federal agencies and their contractors until December 18, 2031, and except for industrial and commercial use of TCE in closed-loop and open-top batch vapor degreasing for essential aerospace parts and components and narrow tubing used in medical devices until December 18, 2031, and except for industrial and commercial use as a solvent for closed-loop batch vapor degreasing for rayon fabric scouring for end use in rocket booster nozzle production by Federal agencies and their contractors until December 18, 2034; (4) Industrial and commercial use in processing aid (a) for lithium battery separator manufacturing until December 18, 2029, and (b) for lead-acid battery separator manufacturing until December 18, 2044, and (c) for specialty polymeric microporous sheet material manufacturing until December 18, 2039, and (d) in

process solvent used in battery manufacture; in process solvent used in polymer fiber spinning, fluoroelastomer manufacture and Alcantara manufacture; in extraction solvent used in caprolactam manufacture; and in precipitant used in beta-cyclodextrin manufacture until December 18, 2026; (5) Industrial and commercial uses for vessels of the Armed Forces and their systems, and in the maintenance, fabrication, and sustainment for and of such vessels and systems until December 18, 2034; and (6) Industrial and commercial use for laboratory use (a) for essential laboratory activities until December 18, 2074 and (b) for asphalt testing and recovery using manual centrifuge processes until December 18, 2029 and for asphalt testing and recovery until December 18, 2034. The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Skin irritation : Category 2

Eye irritation : Category 2A

Skin sensitisation : Sub-category 1B

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 1B

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

Sigma-Aldrich - 46267

Page 2 of 18

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

The logo for MilliporeSigma, featuring the word "MILLIPORE" in a bold, green, sans-serif font above the word "SIGMA" in a similar bold, green, sans-serif font.


Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

Other hazards

None known.

GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H341 Suspected of causing genetic defects.
H350 May cause cancer.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get

medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

CAS-No. : 79-01-6

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
trichloroethylene	79-01-6*	>= 90 - <= 100	-

* Indicates that the identifier is a CAS No.
Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : After inhalation: fresh air. Call in physician.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact : After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important : The most important known symptoms and effects are

Sigma-Aldrich - 46267

Page 4 of 18

symptoms and effects, both acute and delayed : described in the labelling (see section 2.2) and/or in section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.

Specific hazards during fire fighting : Not combustible.

Ambient fire may liberate hazardous vapours.

Hazardous combustion products : Carbon oxides

Hydrogen chloride gas

Specific extinguishing methods : No data available

Further information : Suppress (knock down) gases/vapours/mists with a water spray jet.
Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters : Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:
Do not breathe vapours, aerosols.
Avoid substance contact.
Ensure adequate ventilation.

Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

For personal protection see section 8.

Environmental precautions : Do not let product enter drains.

Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Advice on safe handling : Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Further information on storage conditions : Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Storage class : 6.1D, Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

Recommended storage temperature : Recommended storage temperature see product label.

Further information on storage stability : Light sensitive. Handle and store under inert gas.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
trichloroethylene	79-01-6	TWA	10 ppm	ACGIH
		STEL	25 ppm	ACGIH
		TWA	100 ppm	OSHA Z-2
		CEIL	200 ppm	OSHA Z-2
		Peak	300 ppm	OSHA Z-2

Sigma-Aldrich - 46267

Page 6 of 18

			(5 mins. in any 2 hrs.)	
		TWA	50 ppm 270 mg/m ³	OSHA P0
		STEL	200 ppm 1,080 mg/m ³	OSHA P0
		ECEL-TWA (Inhalation exposure)	0.2 ppm 1.07 mg/m ³	TSCA ECEL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
trichloroethylene	79-01-6	Trichloroacetic acid	Urine	End of shift at end of workweek	15 mg/l	ACGIH BEI
		Trichloroethanol	In blood	End of shift at end of workweek	0.5 mg/l	ACGIH BEI

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Viton®
 Break through time : 480 min
 Glove thickness : 0.7 mm
 Protective index : Full contact

Manufacturer	: Vitoject® (KCL 890 / Aldrich Z677698, Size M)
Material	: Nitrile rubber
Break through time	: 10 min
Glove thickness	: 0.4 mm
Protective index	: Splash contact
Manufacturer	: Camatril® (KCL 730 / Aldrich Z677442, Size M)
Remarks	: This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).
Eye protection	: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses
Skin and body protection	: protective clothing
Hygiene measures	: Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid (68 °F / 20 °C, 1,013 hPa)
Color	: colourless
Odor	: characteristic
Odor Threshold	: 28 ppm
pH	: No data available
Melting point/ range	: -120.6 °F / -84.8 °C Method: lit.
Boiling point/boiling range	: 188.1 °F / 86.7 °C Method: lit.
Flash point	: Method: closed cup, closed cup does not flash

Evaporation rate	: No data available
Burning rate	: No data available
Self-ignition	: 770.0 °F / 410.0 °C
Upper explosion limit / Upper flammability limit	: Upper explosion limit > 99 %(V) (Saturation - at high volume fractions, explosion turns into a decomposition reaction)
Lower explosion limit / Lower flammability limit	: Lower explosion limit 7.9 %(V)
Vapor pressure	: 81.3 hPa (68.0 °F / 20.0 °C)
Relative vapour density	: No data available
Relative density	: 1.46 (68 °F / 20 °C)
Density	: 1.463 g/cm ³ (77 °F / 25 °C) Method: lit.
Solubility(ies) Water solubility	: 1.1 g/l (68 °F / 20 °C) pH: 7
Partition coefficient: n- octanol/water	: log Pow: 2.53 (68 °F / 20 °C) pH: 7 Bioaccumulation is not expected.
Autoignition temperature	: 770 °F / 410 °C (ca. 1,013 hPa)
Decomposition temperature	: No data available
Viscosity Viscosity, dynamic	: 0.58 mPa.s (68 °F / 20 °C)
Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: Not classified as explosive.
Oxidizing properties	: none
Molecular weight	: 131.39 g/mol
Particle characteristics Particle size	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No data available
Chemical stability	: The product is chemically stable under standard ambient conditions (room temperature) .
Contains the following stabiliser(s):	: diisopropylamine (≥ 0.003 - ≤ 0.005 %)
Possibility of hazardous reactions	: Violent reactions possible with: Oxygen (as liquefied gas) Alkaline earth metals alkali amides semimetallic hydrogen compounds perchloric acid Light metals aluminium chloride Strong oxidizing agents potassium nitrate Risk of explosion with: Alkali metals Aluminium Barium alkali hydroxides Lithium magnesium Powdered metals sodium amide Strong oxidizing agents nitrogen dioxide Boranes Oxygen with alkali hydroxides Oxygen with Pressure Risk of ignition or formation of inflammable gases or vapours with: Titanium Beryllium Epoxy constituents
Conditions to avoid	: no information available
Incompatible materials	: No data available
Hazardous decomposition	: In the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

LC50 Inhalation - Rat - male - 4 h - 67.41 mg/l

Remarks: (ECHA)

LD50 Dermal - Rabbit - > 20,000 mg/kg

Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 4 h

(OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Remarks: Drying-out effect resulting in rough and chapped skin.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation - 24 h

Remarks: (RTECS)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

Germ cell mutagenicity

Suspected of causing genetic defects.

Test Type: Ames test

Test system: *S. typhimurium*

Metabolic activation: Metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Result: negative

Remarks: (ECHA)

Test Type: in vivo assay

Species: Mouse

Result: negative
Remarks: (ECHA)

Carcinogenicity

Presumed to have carcinogenic potential for humans

IARC: 1 - Group 1: Carcinogenic to humans (trichloroethylene)

NTP: Known - Known to be human carcinogen (trichloroethylene)

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

RTECS: KX4550000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Exposure to and/or consumption of alcohol may increase toxic effects., Gastrointestinal disturbance, Kidney injury may occur., narcosis

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

trichloroethylene:

Toxicity to fish : LC50 (Jordanella floridae): 28.3 mg/l
End point: mortality
Exposure time: 96 h
Test Type: flow-through test
Analytical monitoring: yes
Method: US-EPA

Toxicity to algae/aquatic plants : ErC50 (Chlamydomonas reinhardtii (green algae)):
36.5 mg/l
Exposure time: 72 h
Analytical monitoring: yes
Remarks: (ECHA)

Toxicity to fish (Chronic toxicity) : NOEC (Jordanella floridae (flagfish)): 5.76 mg/l
End point: mortality
Exposure time: 10 d
Test Type: flow-through test
Analytical monitoring: yes
Remarks: (ECHA)

Toxicity to microorganisms : EC50 (activated sludge): 260 mg/l
Exposure time: 3 h
Test Type: static test
Method: OECD Test Guideline 209

Persistence and degradability

Components:

trichloroethylene:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not readily biodegradable.
Biodegradation: 19 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

trichloroethylene:

Bioaccumulation : Species: Lepomis macrochirus
Bioconcentration factor (BCF): 17
Exposure time: 14 d

Partition coefficient: n-octanol/water : log Pow: 2.53 (68 °F / 20 °C)
pH: 7
Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 1710
Proper shipping name : Trichloroethylene
Class : 6.1
Packing group : III
Labels : Division 6.1 - Toxic substances
Packing instruction (cargo : 663
aircraft)
Packing instruction : 655
(passenger aircraft)

IMDG-Code

UN number : UN 1710
Proper shipping name : TRICHLOROETHYLENE

Class : 6.1
Packing group : III
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR Road

UN/ID/NA number : UN 1710
Proper shipping name : Trichloroethylene

Class : 6.1
Packing group : III
Labels : Division 6.1 - Toxic substances
ERG Code : 160
Marine pollutant : no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component	Calculated product
------------	---------	-----------	--------------------

		RQ (lbs)	RQ (lbs)
trichloroethylene	79-01-6	100	100
trichloroethylene	79-01-6	100	100 (D040)

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

trichloroethylene 79-01-6 >= 90 - <= 100 %
ne

US State Regulations

Massachusetts Right To Know

trichloroethylene 79-01-6

Pennsylvania Right To Know

trichloroethylene 79-01-6

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including trichloroethylene, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule:
trichloroethylene 79-01-6 See 40 CFR § 721.10851; Final Rule

After June 16, 2025, this chemical/product is and can only be domestically manufactured, imported, processed, or distributed in commerce for the following purposes until the following prohibitions take effect: (1) Processing as an intermediate a) for the manufacture of HFC-



AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EC_x - Concentration associated with x% response; EHS - Extremely Hazardous Substance; EL_x - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC_x - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC₅₀ - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC₅₀ - Lethal Concentration to 50 % of a test population; LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 12/25/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Sigma-Aldrich - 46267

Page 18 of 18

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

