

SAFETY DATA SHEET

according to the OSHA
Hazard Communication Standard

Version 6.11
Revision Date 07/30/2026
Print Date 07/31/2026

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Diazinon-(diethyl-d10)

Product Number : 74332
Brand : Sigma-Aldrich
CAS-No. : 100155-47-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Restrictions on use : Not Available

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
SPRUCE ST 3050
63103 St. Louis

Telephone : (314) 771-5765
Telefax: (800) 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800 424 9300 (CHEMTREC) 24/7
+1 703 527 3887 (CHEMTREC) 24/7

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Acute toxicity (Oral) : Category 3

Short-term (acute)
aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

Other hazards

None known.

GHS label elements

Hazard pictograms :  

Signal word : Danger

Hazard statements : H301 Toxic if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
Response:
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P391 Collect spillage.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

CAS-No. : 100155-47-3

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Diazinon-diethyl-d10	100155-47-3*	>= 90 - <= 100	-

* Indicates that the identifier is a CAS No.

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: Show this safety data sheet to the doctor in attendance.
If inhaled	: After inhalation: fresh air.
In case of skin contact	: In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.
In case of eye contact	: After eye contact: rinse out with plenty of water. Remove contact lenses.
If swallowed	: If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.
Most important symptoms and effects, both acute and delayed	: The most important known symptoms and effects are described in the labelling (see section 2 GHS label elements) and/or in section 11
Protection of first-aiders	: For personal protection see section 8.
Notes to physician	: No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water Foam Carbon dioxide (CO ₂) Dry powder
Unsuitable extinguishing media	: For this substance/mixture no limitations of extinguishing agents are given.
Specific hazards during fire fighting	: Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

Hazardous combustion products : Carbon oxides

Nitrogen oxides (NO_x)

Sulphur oxides

Oxides of phosphorus

Specific extinguishing methods : No data available

Further information : Suppress (knock down) gases/vapours/mists with a water spray jet.
Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters : Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:
Do not breathe vapours, aerosols.
Avoid substance contact.
Ensure adequate ventilation.
Evacuate the danger area, observe emergency procedures, consult an expert.
Advice for emergency responders:
Wear appropriate personal protective equipment, as indicated in Section 8.

Environmental precautions : Do not let product enter drains.

Methods and materials : Cover drains. Collect, bind, and pump off spills.

for containment and cleaning up

Observe possible material restrictions (see sections 7 and 10).
Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2 GHS label elements

Further information on storage conditions : Tightly closed.
Keep in a well-ventilated place.
Keep locked up or in an area accessible only to qualified or authorised persons.

Storage class : 6.1C, Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

Recommended storage temperature : 36 - 46 °F / 2 - 8 °C

Further information on storage stability : Hygroscopic.
Handle and store under inert gas.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diazinon-diethyl-d10	100155-47-3	TWA (Inhalable fraction and vapor)	0.01 mg/m ³	ACGIH
		TWA	0.1 mg/m ³	NIOSH REL

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Diazinon-diethyl-d10	100155-47-3	Acetylcholinesterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcholinesterase	In serum or	End of shift	60 % of an	ACGIH BEI

		activity	plasma		individual's baseline	
--	--	----------	--------	--	-----------------------	--

Engineering measures : No data available

Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Remarks : required

Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).
Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH	: No data available
Melting point	: No data available
Boiling point/boiling range	: 181 - 183 °F / 83 - 84 °C (0.003 hPa)
Flash point	: 235.0 °F / 112.8 °C Method: closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Burning rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: < 0.001 hPa (77 °F / 25 °C)
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.116 - 1.119 g/cm ³ (68 °F / 20 °C)
Water solubility	: No data available
Partition coefficient: n- octanol/water	: log Pow: 3.3 Bioaccumulation is not expected.
Autoignition temperature	: > 500 °F / > 260 °C
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: No data available
Oxidizing properties	: none

Sigma-Aldrich - 74332

Page 7 of 14

Molecular weight : 314.41 g/mol

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Forms explosive mixtures with air on intense heating.
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

Chemical stability : The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions : Stable
Violent reactions possible with:
Strong oxidizing agents

Conditions to avoid : Avoid moisture.
Hygroscopic.
Strong heating.

Incompatible materials : No data available

Hazardous decomposition products : For Hazardous combustion products in the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 66 mg/kg

Remarks: (RTECS)

The value is given in analogy to the following substances: Diazinon

LC50 Inhalation - Rat - 4 h - > 5,400 mg/m³ - dust/mist

Remarks: (IUCLID)

The value is given in analogy to the following substances: Diazinon

LD50 Dermal - Rabbit - > 2,020 mg/kg

Remarks: The value is given in analogy to the following substances: Diazinon

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

Remarks: (IUCLID)

The value is given in analogy to the following substances: Diazinon

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

Remarks: (IUCLID)

The value is given in analogy to the following substances: Diazinon

Respiratory or skin sensitization

Will not occur

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: 2A - Group 2A: Probably carcinogenic to humans (Diazinon-diethyl-d10)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Cholinesterase inhibitors can cause heavy salivation and secretion in the lungs, lachrymation, blurred vision, involuntary defecation, diarrhea, tremor, ataxia, sweating, hypothermia, lowered heart rate, and/or a fall in blood pressure as a result of their action at cholinergic nerve sites., Headache, Nausea, Vomiting, Dizziness, Drowsiness, Confusion., Weakness, Muscle cramps/spasms., Change in pupil size., Fever, Seizures., Incoordination., Convulsions, Coma.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Diazinon-diethyl-d10:**

Sigma-Aldrich - 74332

Page 9 of 14

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

**MILLIPORE
SIGMA**

Toxicity to fish	: LC50 (<i>Lepomis macrochirus</i> (Bluegill)): 0.136 mg/l Exposure time: 96 h Remarks: (Lit.) The value is given in analogy to the following substances: The value is given in analogy to the following substances: Diazinon
Toxicity to daphnia and other aquatic invertebrates	: NOEC (<i>Daphnia magna</i> (Water flea)): 0.001 mg/l End point: mortality Exposure time: 48 h Remarks: (ECOTOX Database) The value is given in analogy to the following substances: The value is given in analogy to the following substances: Diazinon EC50 (<i>Daphnia magna</i> (Water flea)): 0.7 µg/l Exposure time: 48 h Remarks: (ECOTOX Database) The value is given in analogy to the following substances: The value is given in analogy to the following substances: Diazinon
Toxicity to fish (Chronic toxicity)	: NOEC (<i>Lepomis macrochirus</i>): 0.022 mg/l End point: mortality Exposure time: 70 d Remarks: (ECOTOX Database) The value is given in analogy to the following substances: The value is given in analogy to the following substances: Diazinon
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: LOEC (<i>Daphnia magna</i> (Water flea)): 0.18 µg/l End point: mortality Exposure time: 21 d Remarks: (ECOTOX Database) The value is given in analogy to the following substances: The value is given in analogy to the following substances: Diazinon NOEC (<i>Daphnia magna</i> (Water flea)): 0.15 µg/l End point: mortality Exposure time: 21 d Remarks: (ECOTOX Database) The value is given in analogy to the following substances: The value is given in analogy to the following substances: Diazinon

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Diazinon-diethyl-d10:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 120
Exposure time: 14 d
Concentration: 18 µg/l
Remarks: The value is given in analogy to the following substances:
The value is given in analogy to the following substances: Diazinon

Partition coefficient: n-octanol/water : log Pow: 3.3
Remarks: Bioaccumulation is not expected.

Mobility in soil

No data available

Other adverse effects

No data available

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No. : UN 2810
Proper shipping name : Toxic liquid, organic, n.o.s.
(Diazinon-diethyl-d10)

Class : 6.1
Packing group : III
Labels : Division 6.1 - Toxic substances
Packing instruction (cargo aircraft) : 663
Packing instruction (passenger aircraft) : 655

IMDG-Code

UN number : UN 2810
Proper shipping name : TOXIC LIQUID, ORGANIC, N.O.S.
(Diazinon-diethyl-d10)
Class : 6.1
Packing group : III
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 2810
Proper shipping name : Toxic, liquids, organic, n.o.s.
(Diazinon-diethyl-d10)
Class : 6.1
Packing group : III
Labels : Division 6.1 - Toxic substances
ERG Code : 153
Marine pollutant : yes
Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Diazinon-diethyl-d10	100155-47-3	1	1

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Diazinon-diethyl-d10	100155-47-3	>= 90 - <= 100 %
----------------------	-------------	------------------

US State Regulations

Massachusetts Right To Know

Diazinon-diethyl-d10	100155-47-3
----------------------	-------------

Pennsylvania Right To Know

Diazinon-diethyl-d10	100155-47-3
----------------------	-------------

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

The components of this product are reported in the following inventories:

US TSCA : Product contains substance(s) not listed on TSCA inventory.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response;

Sigma-Aldrich - 74332

Page 13 of 14

EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Details in analogy to the undeuterated compound.

Revision Date : 07/30/2026

US / EN