SAFETY DATA SHEET according to the OSHA Hazard Communication Standard

Version 6.14
Revision Date 07/17/2026
Print Date 07/18/2026

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : Silylating mixture I according to Sweeley

Product Number : 85431
Brand : Sigma-Aldrich

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Restrictions on use : Not Available

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES

Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Acute toxicity (Dermal)	:	Category 3
Skin irritation	:	Category 2
Serious eye damage	:	Category 1
Short-term (acute) aquatic hazard	:	Category 3

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements :
H225 Highly flammable liquid and vapour.
H302 + H332 Harmful if swallowed or if inhaled.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H402 Harmful to aquatic life.

Precautionary statements :

Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353 IF ON SKIN (or hair): Take off

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

CAS-No. : Not Assigned

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Pyridine	110-86-1*	>= 90 - <= 100	-
1,1,1,3,3,3-hexamethyldisilazane	999-97-3*	>= 5 - < 10	-
chlorotrimethylsilane	75-77-4*	>= 1 - < 5	-

* Indicates that the identifier is a CAS No.
Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : First aiders need to protect themselves.
Show this safety data sheet to the doctor in attendance.

If inhaled : After inhalation: fresh air. Immediately call in

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

		physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.
In case of skin contact	:	In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.
In case of eye contact	:	After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed	:	After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.
Most important symptoms and effects, both acute and delayed	:	The most important known symptoms and effects are described in the labelling (see section 2 GHS label elements) and/or in section 11
Protection of first-aiders	:	For personal protection see section 8.
Notes to physician	:	No data available

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media	:	For this substance/mixture no limitations of extinguishing agents are given.
Specific hazards during fire fighting	:	Mixture with combustible ingredients. Pay attention to flashback. Vapours are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire.

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

		Forms explosive mixtures with air at ambient temperatures.
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas silicon oxides
Specific extinguishing methods	:	No data available
Further information	:	Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for fire-fighters	:	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Wear appropriate personal protective equipment, as indicated in Section 8.
Environmental precautions	:	Do not let product enter drains. Risk of explosion.
Methods and materials	:	Cover drains. Collect, bind, and pump off spills.

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

for containment and cleaning up	Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SECTION 7. HANDLING AND STORAGE

For precautions see section 2 GHS label elements

Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Advice on safe handling	:	Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Further information on storage conditions	:	Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.
Storage class	:	3, Flammable liquids
Recommended storage temperature	:	36 - 46 °F / 2 - 8 °C
Further information on storage stability	:	Moisture sensitive. Store under inert gas.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Pyridine	110-86-1	TWA	1 ppm	ACGIH
		TWA	5 ppm 15 mg/m3	NIOSH REL
		TWA	5 ppm 15 mg/m3	OSHA Z-1
1,1,1,3,3,3-hexamethyldisilazane	999-97-3	TWA	10 ppm	US WEEL
		STEL	50 ppm	US WEEL
chlorotrimethylsilane	75-77-4	CEIL	5 ppm	US WEEL

Engineering measures : No data available

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Personal protective equipment

Respiratory protection	:	required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.
Recommended Filter type:	:	Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material	:	butyl-rubber
Break through time	:	120 min
Glove thickness	:	0.3 mm
Protective index	:	Splash contact
Manufacturer	:	Butoject® (KCL 897 / Aldrich Z677647, Size M)
Manufacturer	:	data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374
Remarks	:	Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.
Eye protection	:	Use equipment for eye protection tested and approved under appropriate government standards

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

		such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles
Skin and body protection	:	Flame retardant antistatic protective clothing.
Hygiene measures	:	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	cloudy
Colour	:	colourless
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	68 °F / 20 °C (1,013 hPa) Method: ISO 1523, closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Flammability (liquids)	:	No data available
Burning rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Explosive properties	:	Not classified as explosive.
Oxidizing properties	:	none
Particle characteristics Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Vapours may form explosive mixture with air.
Chemical stability	:	The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	:	No data available
Conditions to avoid	:	Warming.
Incompatible materials	:	Strong oxidizing agents Strong acids
Hazardous decomposition products	:	For Hazardous combustion products in the event of fire: see section 5

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Mixture

Acute toxicity
Oral: No data available

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Acute toxicity estimate Oral - 972.64 mg/kg
(Calculation method)
Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Inhalation: No data available

Acute toxicity estimate Inhalation - 4 h - 14.26 mg/l - vapour(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract
Dermal: No data available

Acute toxicity estimate Dermal - 916.88 mg/kg
(Calculation method)

Skin corrosion/irritation
Remarks: Mixture causes skin irritation.

Serious eye damage/eye irritation
Remarks: Mixture causes serious eye damage.

Respiratory or skin sensitization
No data available

Germ cell mutagenicity
No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity
No data available

Specific target organ toxicity - single exposure
No data available

Specific target organ toxicity - repeated exposure
No data available

Aspiration hazard
No data available

11.2 Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Nerves. - Irregularities - Based on Human Evidence

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Components

Pyridine

Acute toxicity
LD50 Oral - Rat - 1,500 mg/kg
Remarks: (ECHA)
Symptoms: Vomiting, Nausea
LC50 Inhalation - Rat - male - 4 h - 17.1 mg/l - vapour
(US-EPA)
Symptoms: mucosal irritations, Cough, Shortness of breath
LD50 Dermal - Rabbit - > 1,000 - 2,000 mg/kg
(OECD Test Guideline 402)
No data available

Skin corrosion/irritation
Skin - Rabbit
Result: Mild skin irritation - 24 h
(Draize Test)

Serious eye damage/eye irritation
Eyes - Rabbit
Result: Irritating to eyes. - 24 h
Remarks: (ECHA)

Respiratory or skin sensitization
Local lymph node assay (LLNA) - Mouse
Result: negative
(OECD Test Guideline 429)

Germ cell mutagenicity
Test Type: Ames test
Test system: Salmonella typhimurium
Result: negative
Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Result: negative
Method: OECD Test Guideline 475
Species: Mouse - male - Bone marrow
Result: negative

Carcinogenicity
No data available

Reproductive toxicity
No data available

Specific target organ toxicity - single exposure
Acute oral toxicity - Vomiting, Nausea
Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath

Specific target organ toxicity - repeated exposure
No data available

Aspiration hazard
No data available

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

1,1,1,3,3,3-hexamethyldisilazane

Acute toxicity
LD50 Oral - Rat - male and female - 851 mg/kg
(OECD Test Guideline 401)
LC50 Inhalation - Rat - male and female - 6 h - 10 mg/l
(OECD Test Guideline 403)
LD50 Dermal - Rabbit - male and female - 547 - 589 mg/kg
(OECD Test Guideline 402)
No data available

Skin corrosion/irritation
Skin - Rabbit
Result: No skin irritation - 4 h
(OECD Test Guideline 404)

Serious eye damage/eye irritation
Eyes - Rabbit
Result: No eye irritation
(OECD Test Guideline 405)

Respiratory or skin sensitization
No data available

Germ cell mutagenicity
Test Type: Ames test
Test system: S. typhimurium
Result: negative

Carcinogenicity
No data available

Reproductive toxicity
No data available

Specific target organ toxicity - single exposure
No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard
No data available

chlorotrimethylsilane

Acute toxicity
LD50 Oral - Rat - male - 212 mg/kg
(OECD Test Guideline 401)
Remarks: (ECHA)
LC50 Inhalation - Rat - male and female - 1 h - 4257 ppm - vapour
(OECD Test Guideline 403)
Remarks: (calculated)
LD50 Dermal - Rabbit - male and female - 1,513 mg/kg
(OECD Test Guideline 402)
Remarks: (ECHA)

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Skin corrosion/irritation
Skin - Rabbit
Result: Causes severe burns. - 4 h
(OECD Test Guideline 404)
Remarks: (ECHA)

Serious eye damage/eye irritation
Eyes - Rabbit
Result: Causes serious eye damage.
(OECD Test Guideline 405)

Respiratory or skin sensitization
No data available

Germ cell mutagenicity
Test Type: Bacterial reverse mutation assay (AMES)
Test system: Escherichia coli/Salmonella typhimurium
Result: negative
Method: OECD Test Guideline 475
Species: Rat - male - Bone marrow
Result: negative

Carcinogenicity
No data available

Reproductive toxicity
Suspected of damaging fertility.

Specific target organ toxicity - single exposure
No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard
No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Pyridine:

Toxicity to fish	:	EC50 (Danio rerio (zebra fish)): 560 - 1,000 mg/l End point: mortality Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes Remarks: (in analogy to similar products)
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 320 mg/l End point: Immobilization Exposure time: 48 h Method: OECD Test Guideline 202

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

GLP: yes
Remarks: (in analogy to similar products)

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata): 320 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
Remarks: (in analogy to similar products)

1,1,1,3,3,3-hexamethyldisilazane:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 88 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 80 mg/l
Exposure time: 48 h
Test Type: static test
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 19.00 mg/l
Exposure time: 72 h

chlorotrimethylsilane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 271 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 203
GLP: yes
Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 124 mg/l
End point: mortality
Exposure time: 48 h
Test Type: semi-static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes
Remarks: (ECHA)

Toxicity to algae/aquatic plants : NOEC (Raphidocelis subcapitata (freshwater green alga)): 44 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

GLP: yes
Remarks: (ECHA)

Toxicity to microorganisms : EC50 (activated sludge): 6,670 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
GLP: yes
Remarks: (ECHA)

Persistence and degradability

Components:

Pyridine:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

1,1,1,3,3,3-hexamethyldisilazane:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 2 mg/l
Result: Not readily biodegradable.
Biodegradation: 15.3 %
Exposure time: 28 d
Method: Directive 67/548/EEC Annex V, C.4.E.

chlorotrimethylsilane:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 20 mg/l
Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 310
GLP: yes
Remarks: (ECHA)

Bioaccumulative potential

Components:

Pyridine:

Partition coefficient: n-octanol/water : log Pow: ca. 0.64 (68 °F / 20 °C)
pH: 7
Method: (experimental)
Remarks: (Lit.)
Bioaccumulation is not expected.

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

1,1,1,3,3,3-hexamethyldisilazane:

Partition coefficient: n-octanol/water	:	log Pow: 2.62

chlorotrimethylsilane:

Partition coefficient: n-octanol/water	:	Pow: 15.4 (77 °F / 25 °C) log Pow: 1.19 (77 °F / 25 °C) pH: 7.1 Method: OECD Test Guideline 107 GLP: yes Remarks: (ECHA)

Mobility in soil

No data available

Other adverse effects

Components:

Pyridine:

Results of PBT and vPvB assessment	:	Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	:	UN 1992
Proper shipping name	:	Flammable liquid, toxic, n.o.s. (Pyridine, chlorotrimethylsilane, 1,1,1,3,3,3-hexamethyldisilazane)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	II
Labels	:	Class 3 - Flammable liquids, Division 6.1 - Toxic

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

substances

Packing instruction (cargo aircraft)	:	364
Packing instruction (passenger aircraft)	:	352

IMDG-Code

UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (Pyridine, chlorotrimethylsilane, 1,1,1,3,3,3-hexamethyldisilazane)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	II
Labels	:	3 (6.1)
EmS Code	:	F-E, S-D
Marine pollutant	:	no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number	:	UN 1992
Proper shipping name	:	Flammable liquids, toxic, n.o.s. (Pyridine, chlorotrimethylsilane, 1,1,1,3,3,3-hexamethyldisilazane)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	II
Labels	:	Class 3 - Flammable liquids, Division 6.1 - Toxic substances
ERG Code	:	131
Marine pollutant	:	no
Poison Inhalation Hazard	:	No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Pyridine	110-86-1	1000	1111
Pyridine	110-86-1	100	100 (F005)
Pyridine	110-86-1	1000	1000 (D038)

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
chlorotrimethylsilane	75-77-4	1000

SARA 311/312 Hazards : Fire Hazard
Acute Health Hazard
Chronic Health Hazard

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Pyridine 110-86-1 >= 90 - <= 100 %

US State Regulations

Massachusetts Right To Know

Pyridine	110-86-1
chlorotrimethylsilane	75-77-4

Pennsylvania Right To Know

Pyridine	110-86-1
chlorotrimethylsilane	75-77-4

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California Prop. 65

WARNING: This product can expose you to chemicals including Pyridine, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. **The components of this product are reported in the following inventories:**

US TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average
US WEEL / TWA	:	8-hr TWA
US WEEL / STEL	:	Short-Term TWA
US WEEL / CEIL	:	Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.
Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 07/17/2026

US / EN

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada