

# • SAFETY DATA SHEET

Version 6.26  
Revision Date 03/12/2026  
Print Date 03/13/2026

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : Multielement standard solution 1 for ICP

Product Number : 90243  
Brand : Sigma-Aldrich

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

---

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Hazards for the product as supplied

Corrosive to metals : Category 1

Skin corrosion : Sub-category 1B

Serious eye damage : Category 1  
Skin sensitisation : Category 1  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 2

**Other hazards**

Corrosive to the respiratory tract.

**GHS label elements**

Hazard pictograms : 

Signal word : Danger

Hazard statements : H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements : Corrosive to the respiratory tract.

Precautionary statements : **Prevention:**  
P234 Keep only in original packaging.  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P390 Absorb spillage to prevent material damage.  
 P391 Collect spillage.

**Storage:**

P405 Store locked up.  
 P406 Store in a corrosion resistant container with a resistant inner liner.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture  
 CAS-No. : Not Assigned

**Components**

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
nitric acid	7697-37-2*	>= 7 - <= 13	TSC
Silver nitrate	7761-88-8*	> 0 - <= 0.1	TSC
nickel(II) nitrate	13138-45-9*	> 0 - <= 0.1	TSC
Lead(II) nitrate	10099-74-8*	> 0 - <= 0.1	TSC

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.  
 If inhaled : After inhalation: fresh air. Call in physician.  
 In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

	Call a physician immediately.
In case of eye contact	: After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.
If swallowed	: After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.
Most important symptoms and effects, both acute and delayed	: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Protection of first-aiders	: For personal protection see section 8.
Notes to physician	: No data available

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: For this substance/mixture no limitations of extinguishing agents are given.
Specific hazards during fire fighting	: Not combustible.  Ambient fire may liberate hazardous vapours.
Hazardous combustion products	: Nitrogen oxides (NO <sub>x</sub> )
Specific extinguishing methods	: No data available
Further information	: Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for fire-	: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe

fighters

distance or by wearing suitable protective clothing.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.
Environmental precautions	:	Do not let product enter drains.
Methods and materials for containment and cleaning up	:	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Conditions for safe storage	:	No metal containers.
Further information on storage conditions	:	Tightly closed.
Storage class	:	8B, Non-combustible, corrosive hazardous materials
Recommended storage temperature	:	Recommended storage temperature see product label.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
nitric acid	7697-37-2	TWA	2 ppm	ACGIH
		STEL	4 ppm	ACGIH

		ST	4 ppm 10 mg/m <sup>3</sup>	NIOSH REL
		TWA	2 ppm 5 mg/m <sup>3</sup>	NIOSH REL
		TWA	2 ppm 5 mg/m <sup>3</sup>	OSHA Z-1
Silver nitrate	7761-88-8	TWA	0.01 mg/m <sup>3</sup> (Silver)	OSHA Z-1
		TWA	0.01 mg/m <sup>3</sup> (Silver)	ACGIH
		TWA	0.01 mg/m <sup>3</sup> (Silver)	NIOSH REL
nickel(II) nitrate	13138-45-9	TWA	1 mg/m <sup>3</sup> (Nickel)	OSHA Z-1
		TWA (Inhalable particulate matter)	0.1 mg/m <sup>3</sup> (Nickel)	ACGIH
		TWA	0.015 mg/m <sup>3</sup> (Nickel)	NIOSH REL
Lead(II) nitrate	10099-74-8	TWA	0.05 mg/m <sup>3</sup> (Lead)	ACGIH
		PEL	0.05 mg/m <sup>3</sup> (Lead)	OSHA CARC
		TWA	0.05 mg/m <sup>3</sup> (Lead)	NIOSH REL

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
nickel(II) nitrate	13138-45-9	Nickel (Nickel)	Urine	End of shift at end of workweek	5 µg/l	ACGIH BEI
		Nickel (Nickel)	Urine	End of shift at end of workweek	30 µg/l	ACGIH BEI
Lead(II) nitrate	10099-74-8	Lead (Lead)	In blood	Not critical	200 µg/l	ACGIH BEI

**Engineering measures** : No data available

#### Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory

protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Hand protection

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.11 mm  
Protective index : Full contact  
Manufacturer : Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Material : Nitrile rubber  
Break through time : 480 min  
Glove thickness : 0.11 mm  
Protective index : Splash contact  
Manufacturer : Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Manufacturer : data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

Remarks : Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).  
Tightly fitting safety goggles

Skin and body protection : protective clothing

Hygiene measures : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colourless, clear

Odor : No data available

Odor Threshold : No data available  
pH : No data available

Melting point : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : The product is not flammable.

Burning rate : No data available

Self-ignition : Not applicable

Upper explosion limit /  
Upper flammability limit : Not applicable

Lower explosion limit /  
Lower flammability limit : Not applicable

Vapor pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Sigma-Aldrich - 90243

Page 8 of 23

Water solubility	: soluble (68 °F / 20 °C)
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: Not classified as explosive.
Oxidizing properties	: none
Particle characteristics	
Particle size	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No data available
Chemical stability	: The product is chemically stable under standard ambient conditions (room temperature) .
Possibility of hazardous reactions	: Violent reactions possible with: The generally known reaction partners of water.
Conditions to avoid	: no information available
Incompatible materials	: Metals
Hazardous decomposition products	: In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Mixture

#### Acute toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Inhalation: No data available

Dermal: No data available

**Skin corrosion/irritation**

Remarks: Mixture causes burns.

**Serious eye damage/eye irritation**

Remarks: Mixture causes serious eye damage.  
Risk of blindness!

**Respiratory or skin sensitization**

Mixture may cause an allergic skin reaction.

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Liver - Irregularities - Based on Human Evidence

**Components**

**nitric acid**

**Acute toxicity**

Oral: No data available

Acute toxicity estimate Inhalation - 4 h - 2.65 mg/l - vapour  
(Expert judgement)

Dermal: No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Remarks: Causes poorly healing wounds.

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Causes burns.

Remarks: (IUCLID)

Remarks: Causes serious eye damage.

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**Silver nitrate****Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

**Skin corrosion/irritation**

Skin - reconstructed human epidermis (RhE)

Result: Causes severe burns. - 3 - 60 min

(OECD Test Guideline 431)

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Causes serious eye damage.

Remarks: (ECHA)

Remarks: Risk of permanent damage due to staining of the cornea.

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

Test Type: Micronucleus test

Test system: Human lymphocytes

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: Positive results were obtained in some in vitro tests.

Method: OECD Test Guideline 474

Species: Rat - male and female

Result: Positive results were obtained in some in vivo tests.

**Carcinogenicity**

No data available

**Reproductive toxicity**

May damage the unborn child.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure****Aspiration hazard**

No data available

**nickel(II) nitrate****Acute toxicity**

LD50 Oral - Rat - male - 325 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - 1.3 - 4.5 mg/l - dust/mist

(OECD Test Guideline 403)

Dermal: No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Irritating to skin. - 4 h

(OECD Test Guideline 404)

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

**Respiratory or skin sensitization**

Maximisation Test - Guinea pig

Result: positive

May cause an allergic skin reaction.

(Maximisation Test)

**Germ cell mutagenicity**

Suspected of causing genetic defects.

**Carcinogenicity**

May cause cancer by inhalation.

**Reproductive toxicity**

May damage the unborn child.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard**

No data available

**Lead(II) nitrate****Acute toxicity**

Oral: No data available

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Lead(II) oxide red

No data available

**Skin corrosion/irritation**

Skin - In vitro study

Result: non-corrosive

(OECD Test Guideline 431)

Skin - In vitro study

Result: No skin irritation - 42 min

(OECD Test Guideline 439)

**Serious eye damage/eye irritation**

Eyes - Bovine cornea

Result: Causes serious eye damage. - 4 h

(OECD Test Guideline 437)

**Respiratory or skin sensitization**

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

**Germ cell mutagenicity**

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (in analogy to similar products)

(ECHA)

Species: Rat - female - Red blood cells (erythrocytes)

Result: positive

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances: lead(II) acetate

Species: Monkey - male - lymphocyte

Result: positive

Remarks: (in analogy to similar products)

(ECHA)  
Species: Mouse - male - Liver cells  
Result: negative  
Remarks: (in analogy to similar products)  
(ECHA)

**Carcinogenicity**

Suspected of causing cancer.

NTP: The reference note has been added by TD based on the background information of the NTP.

**Reproductive toxicity**

May damage the unborn child. Positive evidence from human epidemiological studies.

Suspected of damaging fertility.

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

Causes damage to organs through prolonged or repeated exposure.

- Blood, Central nervous system, Immune system, Kidney

**Aspiration hazard**

No data available

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

**Components:**

**nitric acid:**

Toxicity to fish : Remarks: No data available

**Silver nitrate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)):  
0.0012 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: US-EPA

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00022 mg/l  
End point: mortality  
Exposure time: 48 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Remarks: (ECHA)

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green

Sigma-Aldrich - 90243

Page 14 of 23

plants  
 alga)): 0.00252 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Analytical monitoring: yes  
 Method: OECD Test Guideline 201  
 GLP: yes

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.00046 mg/l  
 Exposure time: 72 h  
 Test Type: static test  
 Analytical monitoring: yes  
 Method: OECD Test Guideline 201  
 GLP: yes

M-Factor (Acute aquatic toxicity) : 1,000

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.000351 mg/l  
 Exposure time: 34 d  
 Test Type: flow-through test  
 Analytical monitoring: yes  
 GLP: yes  
 Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0.0027 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Analytical monitoring: yes  
 Remarks: (ECHA)

M-Factor (Chronic aquatic toxicity) : 100

**nickel(II) nitrate:**

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.057 mg/l  
 Exposure time: 32 d  
 Test Type: flow-through test  
 Analytical monitoring: yes  
 Remarks: (ECHA)

Toxicity to microorganisms : EC50 (Sludge Treatment): 33 mg/l  
 Exposure time: 30 min  
 Method: ISO 8192

**Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Lead(II) nitrate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.1 mg/l

End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.8 mg/l  
Exposure time: 48 h  
Remarks: (ECOTOX Database)

Toxicity to algae/aquatic plants : EC50 (algae): 0.024 - 0.029 mg/l  
Exposure time: 28 h  
Remarks: (Lit.)

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 1.337 mg/l

End point: mortality  
Exposure time: 7 d  
Test Type: semi-static test  
Analytical monitoring: yes  
GLP: yes  
Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.0224 mg/l  
End point: mortality  
Exposure time: 7 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: US-EPA  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

**Persistence and degradability**

**Components:**

**nitric acid:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

**Silver nitrate:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

**nickel(II) nitrate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

**Lead(II) nitrate:**

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

**Bioaccumulative potential****Components:****nitric acid:**

Partition coefficient: n-octanol/water : log Pow: -2.3  
Method: OECD Test Guideline 107  
Remarks: Bioaccumulation is not expected.

**Silver nitrate:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 70  
Exposure time: 41 d  
Temperature: 68 °F / 20 °C

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

**nickel(II) nitrate:**

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

**Lead(II) nitrate:**

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

**Mobility in soil**

No data available

**Other adverse effects****Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

**Components:**

**nitric acid:**

Results of PBT and vPvB assessment : Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

Additional ecological information : May be harmful to aquatic organisms due to the shift of the pH.

**Lead(II) nitrate:**

Additional ecological information : Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Discharge into the environment must be avoided.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

**SECTION 14. TRANSPORT INFORMATION**

**International Regulations**

**IATA-DGR**

UN/ID No. : UN 2031  
Proper shipping name : Nitric acid (10%)  
Class : 8  
Packing group : II

Labels : Class 8 - Corrosive substances  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

**IMDG-Code**

UN number : UN 2031  
Proper shipping name : NITRIC ACID

Class : 8  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

**National Regulations**

**49 CFR Road**

UN/ID/NA number : UN 2031  
Proper shipping name : Nitric acid (10%)  
Class : 8  
Packing group : II  
Labels : Class 8 - Corrosive substances  
ERG Code : 157  
Marine pollutant : no

Poison Inhalation Hazard : No

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION**

**CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Silver nitrate	7761-88-8	1	1001

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

**SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

Components	CAS-No.	Component TPQ (lbs)
nitric acid	7697-37-2	1000



**SARA 311/312 Hazards** : Chronic Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

nitric acid	7697-37-2	>= 10 - < 20 %
magnesium nitrate	10377-60-3	< 0.1 %
potassium nitrate	7757-79-1	< 0.1 %
Silver nitrate	7761-88-8	< 0.1 %
Strontium nitrate	10042-76-9	< 0.1 %
Lithium nitrate	7790-69-4	< 0.1 %
sodium nitrate	7631-99-4	< 0.1 %
Lead(II) nitrate	10099-74-8	< 0.1 %
Calcium nitrate tetrahydrate	13477-34-4	< 0.1 %
Aluminium nitrate nonahydrate	7784-27-2	< 0.1 %
cesium nitrate	7789-18-6	< 0.1 %
Cadmium nitrate	10325-94-7	< 0.1 %
Cobalt(II) nitrate	10141-05-6	< 0.1 %

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489).

## Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

nitric acid	7697-37-2	>= 10 - < 20 %
Silver nitrate	7761-88-8	>= 0 - < 0.1 %
Copper(II) nitrate	3251-23-8	>= 0 - < 0.1 %
Zinc nitrate	7779-88-6	>= 0 - < 0.1 %
Lead(II) nitrate	10099-74-8	>= 0 - < 0.1 %
iron(III) nitrate	10421-48-4	>= 0 - < 0.1 %
Ammonium dichromate	7789-09-5	>= 0 - < 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

nitric acid	7697-37-2	>= 10 - < 20 %
Silver nitrate	7761-88-8	>= 0 - < 0.1 %
Copper(II) nitrate	3251-23-8	>= 0 - < 0.1 %
Zinc nitrate	7779-88-6	>= 0 - < 0.1 %
nickel(II) nitrate	13138-45-9	>= 0 - < 0.1 %
Lead(II) nitrate	10099-74-8	>= 0 - < 0.1 %
iron(III) nitrate	10421-48-4	>= 0 - < 0.1 %
Ammonium dichromate	7789-09-5	>= 0 - < 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## US State Regulations

### Massachusetts Right To Know

nitric acid	7697-37-2
-------------	-----------

### Pennsylvania Right To Know

nitric acid	7697-37-2
Silver nitrate	7761-88-8
Copper(II) nitrate	3251-23-8
Thallium trinitrate trihydrate	13453-38-8
Manganese(II) nitrate	10377-66-9
Zinc nitrate	7779-88-6
nickel(II) nitrate	13138-45-9
Lead(II) nitrate	10099-74-8
iron(III) nitrate	10421-48-4
Barium carbonate	513-77-9

### Maine Chemicals of High Concern

nickel(II) nitrate	13138-45-9
--------------------	------------

### Vermont Chemicals of High Concern

Ammonium molybdenum oxide tetrahydrate	12054-85-2
Lead(II) nitrate	10099-74-8
Cadmium nitrate	10325-94-7
Cobalt(II) nitrate	10141-05-6

### Washington Chemicals of High Concern

Cadmium nitrate  
Cobalt(II) nitrate

10325-94-7  
10141-05-6

### California Prop. 65

WARNING: This product can expose you to chemicals including nickel(II) nitrate, Lead(II) nitrate, Ammonium dichromate, which is/are known to the State of California to cause cancer, and nickel(II) nitrate, Ammonium dichromate, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The components of this product are reported in the following inventories:

US TSCA : Product contains substance(s) not listed on TSCA inventory.

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)  
NIOSH REL : USA. NIOSH Recommended Exposure Limits  
OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens  
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / STEL : Short-term exposure limit  
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek  
NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday  
OSHA CARC / PEL : Permissible exposure limit (PEL)  
OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory

Sigma-Aldrich - 90243

Page 22 of 23

concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 03/12/2026

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN