

# • SAFETY DATA SHEET

Version 8.12  
Revision Date 12/28/2025  
Print Date 12/29/2025

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : Total Acid Number Standard

Product Number : TAN030  
Brand : Sigma-Aldrich

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

---

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### Hazards for the product as supplied

Eye irritation : Category 2A

Skin sensitisation : Category 1

Sigma-Aldrich - TAN030

Page 1 of 19




Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

### Other hazards

None known.

### GHS label elements

Hazard pictograms : 

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS



Substance / Mixture : Mixture  
CAS-No. : Not Assigned

### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Mineral oil	8042-47-5*	$\geq 90 - \leq 100$	-
2,6-di-tert.-butylphenol	128-39-2*	$\geq 1 - < 5$	-
Zinc bis[O,O-bis(2-ethylhexyl)]bis(dithiophosphate)	4259-15-8*	$\geq 1 - < 5$	-
triphenyl phosphite	101-02-0*	$\geq 0.1 - < 1$	-

\* Indicates that the identifier is a CAS No.  
Actual concentration is withheld as a trade secret

---

## SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : After inhalation: fresh air. Consult doctor if feeling unwell.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed : After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Protection of first-aiders : For personal protection see section 8.

Notes to physician : No data available

---

## SECTION 5. FIREFIGHTING MEASURES

Sigma-Aldrich - TAN030

Page 3 of 19

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



Suitable extinguishing media	: Foam Carbon dioxide (CO <sub>2</sub> ) Dry powder
Unsuitable extinguishing media	: For this substance/mixture no limitations of extinguishing agents are given.
Specific hazards during fire fighting	: Combustible.  Development of hazardous combustion gases or vapours possible in the event of fire.
Hazardous combustion products	: Carbon oxides  Sulphur oxides  Oxides of phosphorus  Zinc/zinc oxides
Specific extinguishing methods	: No data available
Further information	: Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.
Special protective equipment for fire-fighters	: Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.
---------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



Advice for emergency responders:  
For personal protection see section 8.

Environmental precautions : Do not let product enter drains.

Methods and materials for containment and cleaning up : Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb® ). Dispose of properly. Clean up affected area.

---

## SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

Further information on storage conditions : Tightly closed.

Storage class : 10, Combustible liquids

Recommended storage temperature : Recommended storage temperature see product label.

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Mineral oil	8042-47-5	TWA (Mist)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
		TWA (Mist)	5 mg/m <sup>3</sup>	NIOSH REL
		ST (Mist)	10 mg/m <sup>3</sup>	NIOSH REL

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN



EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type ABEK

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Remarks : required

Eye protection : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).  
Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Change contaminated clothing. Wash hands after working with substance.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available  
pH : No data available

Melting point : No data available

Boiling point/boiling range : No data available

Flash point : > 199 °F / > 93 °C  
Method: closed cup

Evaporation rate : No data available



Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Burning rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Water solubility	: No data available
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Flow time	: No data available
Explosive properties	: Not classified as explosive.
Oxidizing properties	: none
Particle characteristics Particle size	: No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No data available
Chemical stability	: The product is chemically stable under standard ambient conditions (room temperature) .



Possibility of hazardous reactions : No data available

Conditions to avoid : no information available

Incompatible materials : Strong oxidizing agents  
Strong bases

Hazardous decomposition products : In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Mixture

##### Acute toxicity

Oral: No data available

Acute toxicity estimate Oral - > 5,000 mg/kg  
(Calculation method)

Symptoms: Possible symptoms: , mucosal irritations

Acute toxicity estimate Dermal - 2,525 mg/kg  
(Calculation method)

##### Skin corrosion/irritation

No data available

##### Serious eye damage/eye irritation

Remarks: Mixture causes serious eye irritation.

##### Respiratory or skin sensitization

Mixture may cause an allergic skin reaction.

##### Germ cell mutagenicity

No data available

##### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

##### Reproductive toxicity

No data available

##### Specific target organ toxicity - single exposure

No data available

##### Specific target organ toxicity - repeated exposure

No data available



## **Aspiration hazard**

No data available

## **11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **Components**

### **Mineral oil**

#### **Acute toxicity**

LD50 Oral - Rat - male and female - > 5,000 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 5 mg/l - aerosol

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

#### **Skin corrosion/irritation**

Skin - Rabbit

Result: No skin irritation - 72 h

(OECD Test Guideline 404)

#### **Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation - 72 h

(OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

Buehler Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

#### **Germ cell mutagenicity**

Test Type: Ames test

Test system: *S. typhimurium*

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female - Bone marrow

Result: negative

#### **Carcinogenicity**

No data available

#### **Reproductive toxicity**

No data available



**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure****Aspiration hazard**

No data available

**2,6-di-tert.-butylphenol****Acute toxicity**

LD50 Oral - Rat - male and female - > 5,000 mg/kg

(OECD Test Guideline 401)

Inhalation: No data available

Dermal: No data available

No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Irritating to skin. - 24 h

(OECD Test Guideline 404)

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

**Respiratory or skin sensitization**

Maximisation Test - Guinea pig

Did not cause sensitisation on laboratory animals.

(OECD Test Guideline 406)

**Germ cell mutagenicity**

Test system: *S. typhimurium*

Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available



## **Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)**

### **Acute toxicity**

LD50 Oral - Rat - male - 3,100 mg/kg  
(OECD Test Guideline 401)  
Inhalation: No data available  
LD50 Dermal - Rabbit - > 5,000 mg/kg  
(OECD Test Guideline 402)

### **Skin corrosion/irritation**

Skin - Rabbit  
Result: No skin irritation - 4 h  
(OECD Test Guideline 404)

### **Serious eye damage/eye irritation**

Eyes - Rabbit  
Result: Irreversible effects on the eye  
(OECD Test Guideline 405)

### **Respiratory or skin sensitization**

Maximisation Test - Guinea pig  
Result: negative  
(OECD Test Guideline 406)

### **Germ cell mutagenicity**

Test Type: Ames test  
Test system: *S. typhimurium*  
Result: negative  
Method: OECD Test Guideline 474  
Species: Mouse - male and female - Bone marrow  
Result: negative

### **Carcinogenicity**

No data available

### **Reproductive toxicity**

No data available

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

No data available



## triphenyl phosphite

### Acute toxicity

LD50 Oral - Rat - male - 1,590 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 4 h - > 1.68 mg/l - dust/mist

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

### Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritant - 24 h

(US-EPA)

### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes. - 7 d

(OECD Test Guideline 405)

### Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

### Germ cell mutagenicity

Test Type: Ames test

Test system: *S. typhimurium*

Result: negative

Test Type: in vitro assay

Test system: Human lymphocytes

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female

Result: negative

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- Nervous system

### Aspiration hazard

No data available



## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Mineral oil:

Toxicity to fish : Remarks: No data available

##### 2,6-di-tert.-butylphenol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.4 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.45 mg/l  
Exposure time: 48 h  
Test Type: Immobilization

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 3.6 mg/l  
Exposure time: 72 h  
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (Sludge Treatment): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

##### Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 75 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.4 mg/l  
Exposure time: 21 d  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes



Toxicity to microorganisms : EC50 (*Pseudomonas putida*): 380 mg/l  
Exposure time: 16 h  
Test Type: Growth inhibition

**triphenyl phosphite:**

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0.78 mg/l  
End point: mortality  
Exposure time: 96 h  
Remarks: (ECOTOX Database)

M-Factor (Acute aquatic toxicity) : 1

**Ecotoxicology Assessment**

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

**Persistence and degradability**

**Components:**

**2,6-di-tert.-butylphenol:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 10 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

Stability in water : Remarks: Hydrolyses slowly.

Photodegradation :

**Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Biodegradability : aerobic  
Concentration: 2.49 mg/l  
Result: Not readily biodegradable.  
Biodegradation: < 5 %  
Exposure time: 27 d  
Method: OECD Test Guideline 301D

**triphenyl phosphite:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 2 mg/l  
Result: Readily biodegradable.



Biodegradation: 84 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes

### **Bioaccumulative potential**

#### **Components:**

##### **2,6-di-tert.-butylphenol:**

Bioaccumulation : Species: Leuciscus idus melanotus  
Bioconcentration factor (BCF): 660  
Exposure time: 3 d  
Concentration: 37 µg/l

Partition coefficient: n- : log Pow: 4.5 (75 °F / 24 °C)  
octanol/water Method: OECD Test Guideline 117

##### **Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):**

Partition coefficient: n- : log Pow: 3.59 (72 °F / 22 °C)  
octanol/water pH: 5  
Method: OECD Test Guideline 107

### **Mobility in soil**

#### **Components:**

##### **2,6-di-tert.-butylphenol:**

Stability in soil : Remarks: No data available

### **Other adverse effects**

#### **Components:**

##### **triphenyl phosphite:**

Additional ecological : Discharge into the environment must be avoided.  
information

After hydrolysis acid effect on fish and plankton.

---

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.



## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Zinc bis[O,O-bis(2-ethylhexyl)]  
bis(dithiophosphate))  
Class : 9  
Packing group : III  
Labels : Class 9 - Miscellaneous dangerous substances and  
articles  
Packing instruction (cargo : 964  
aircraft)  
Packing instruction : 964  
(passenger aircraft)

#### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,  
LIQUID, N.O.S.  
(Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate))  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR Road

Not regulated as a dangerous good

Poison Inhalation Hazard : No

#### Special precautions for user

Remarks : EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8	>= 1 - < 5 %
------------------------------------------------------	-----------	--------------

### US State Regulations

#### Massachusetts Right To Know

Mineral oil	8042-47-5
Phenol	108-95-2

#### Pennsylvania Right To Know

Mineral oil	8042-47-5
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	4259-15-8
Phenol	108-95-2

#### Maine Chemicals of High Concern

Product does not contain any listed chemicals

#### Vermont Chemicals of High Concern

Phenol	108-95-2
--------	----------

#### Washington Chemicals of High Concern

Phenol	108-95-2
--------	----------

#### California Prop. 65

WARNING: This product can expose you to chemicals including Mineral oil, which is/are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.



## TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-



Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 12/28/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

US / EN

