

# SAFETY DATA SHEET

according to the OSHA  
Hazard Communication Standard

Version 7.2  
Revision Date 07/09/2026  
Print Date 07/10/2026

## SECTION 1. IDENTIFICATION

### 1.1 Product identifiers

Product name : Silver nitrate

Product Number : S6506  
Brand : SIGALD  
Index-No. : 047-001-00-2  
CAS-No. : 7761-88-8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Restrictions on use : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.  
3050 SPRUCE ST  
ST. LOUIS MO 63103  
UNITED STATES

Telephone : +1 314 771-5765  
Fax : +1 800 325-5052

### 1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-  
527-3887 CHEMTREC (International) 24  
Hours/day; 7 Days/week

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard  
(29 CFR 1910.1200)**

**Hazards for the product as supplied**

SIGALD - S6506

Page 1 of 16

|                                    |                   |
|------------------------------------|-------------------|
| Oxidizing solids                   | : Category 2      |
| Corrosive to metals                | : Category 1      |
| Skin corrosion                     | : Sub-category 1A |
| Serious eye damage                 | : Category 1      |
| Reproductive toxicity              | : Category 1B     |
| Short-term (acute) aquatic hazard  | : Category 1      |
| Long-term (chronic) aquatic hazard | : Category 1      |

### Other hazards

None known.

### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H360 May damage fertility or the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 Keep away from clothing and other combustible materials.  
P234 Keep only in original packaging.  
P260 Do not breathe dust.  
P264 Wash skin thoroughly after handling.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a

POISON CENTER/ doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
P390 Absorb spillage to prevent material damage.  
P391 Collect spillage.

#### **Storage:**

P405 Store locked up.  
P406 Store in a corrosion resistant container with a resistant inner liner.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

---

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance  
CAS-No. : 7761-88-8

#### **Components**

| Chemical name  | CAS No./Unique ID | Concentration (% w/w) | Trade secret |
|----------------|-------------------|-----------------------|--------------|
| Silver nitrate | 7761-88-8*        | >= 80 - <= 100        | TSC          |

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

---

### **SECTION 4. FIRST AID MEASURES**

General advice : First aiders need to protect themselves. Show this safety data sheet to the doctor in attendance.  
If inhaled : After inhalation: fresh air. Call in physician.

SIGALD - S6506

Page 3 of 16

|                                                             |                                                                                                                                                                      |
|-------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| In case of skin contact                                     | : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.                              |
| In case of eye contact                                      | : After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.                                                     |
| If swallowed                                                | : After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise. |
| Most important symptoms and effects, both acute and delayed | : The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11                                                |
| Protection of first-aiders                                  | : For personal protection see section 8.                                                                                                                             |
| Notes to physician                                          | : No data available                                                                                                                                                  |

---

## SECTION 5. FIREFIGHTING MEASURES

|                              |                                                                                                           |
|------------------------------|-----------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|------------------------------|-----------------------------------------------------------------------------------------------------------|

|                                |                                                                                |
|--------------------------------|--------------------------------------------------------------------------------|
| Unsuitable extinguishing media | : For this substance/mixture no limitations of extinguishing agents are given. |
|--------------------------------|--------------------------------------------------------------------------------|

|                                       |                                                        |
|---------------------------------------|--------------------------------------------------------|
| Specific hazards during fire fighting | : Container explosion may occur under fire conditions. |
|---------------------------------------|--------------------------------------------------------|

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

|                               |                                      |
|-------------------------------|--------------------------------------|
| Hazardous combustion products | : Nitrogen oxides (NO <sub>x</sub> ) |
|-------------------------------|--------------------------------------|

## Silver/silver oxides

|                                                |                                                                                                                                                                      |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specific extinguishing methods                 | : No data available                                                                                                                                                  |
| Further information                            | : Suppress (knock down) gases/vapours/mists with a water spray jet.<br>Prevent fire extinguishing water from contaminating surface water or the ground water system. |
| Special protective equipment for fire-fighters | : Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.      |

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

|                                                                     |                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Advice for non-emergency personnel:<br>Avoid inhalation of dusts.<br>Avoid substance contact.<br>Ensure adequate ventilation.<br>Evacuate the danger area, observe emergency procedures, consult an expert.<br>Advice for emergency responders:<br>For personal protection see section 8. |
| Environmental precautions                                           | : Do not let product enter drains.                                                                                                                                                                                                                                                          |
| Methods and materials for containment and cleaning up               | : Cover drains. Collect, bind, and pump off spills.<br>Observe possible material restrictions (see sections 7 and 10).<br>Take up carefully. Dispose of properly. Clean up affected area.<br>Avoid generation of dusts.                                                                     |

---

### SECTION 7. HANDLING AND STORAGE

For precautions see section 2.2.

|                                                 |                                                                     |
|-------------------------------------------------|---------------------------------------------------------------------|
| Advice on protection against fire and explosion | : Keep away from open flames, hot surfaces and sources of ignition. |
| Advice on safe handling                         | : Work under hood. Do not inhale substance/mixture.                 |
| Conditions for safe storage                     | : No metal containers.                                              |

Further information on storage conditions : Tightly closed.  
Keep locked up or in an area accessible only to qualified or authorised persons.  
Do not store near combustible materials.

Storage class : 5.1B, Oxidizing hazardous materials

Recommended storage temperature : Recommended storage temperature see product label.

Further information on storage stability : Light sensitive.

Packaging material : Suitable material: Amber Glass Bottle/Jar

---

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Components     | CAS-No.   | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|----------------|-----------|----------------------------------|---------------------------------------------------|-----------|
| Silver nitrate | 7761-88-8 | TWA                              | 0.01 mg/m <sup>3</sup><br>(Silver)                | OSHA Z-1  |
|                |           | TWA                              | 0.01 mg/m <sup>3</sup><br>(Silver)                | ACGIH     |
|                |           | TWA                              | 0.01 mg/m <sup>3</sup><br>(Silver)                | NIOSH REL |

**Engineering measures** : No data available

### Personal protective equipment

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: : Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

|                          |                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hand protection          |                                                                                                                                                                                                                                                                                                                                                                                               |
| Material                 | : Nitrile rubber                                                                                                                                                                                                                                                                                                                                                                              |
| Break through time       | : 480 min                                                                                                                                                                                                                                                                                                                                                                                     |
| Glove thickness          | : 0.11 mm                                                                                                                                                                                                                                                                                                                                                                                     |
| Protective index         | : Full contact                                                                                                                                                                                                                                                                                                                                                                                |
| Manufacturer             | : KCL 741 Dermatril® L                                                                                                                                                                                                                                                                                                                                                                        |
| Material                 | : Nitrile rubber                                                                                                                                                                                                                                                                                                                                                                              |
| Break through time       | : 480 min                                                                                                                                                                                                                                                                                                                                                                                     |
| Glove thickness          | : 0.11 mm                                                                                                                                                                                                                                                                                                                                                                                     |
| Protective index         | : Splash contact                                                                                                                                                                                                                                                                                                                                                                              |
| Manufacturer             | : KCL 741 Dermatril® L                                                                                                                                                                                                                                                                                                                                                                        |
| Remarks                  | : This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: <a href="http://www.kcl.de">www.kcl.de</a> ). |
| Eye protection           | : Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).<br>Tightly fitting safety goggles                                                                                                                                                                                                                             |
| Skin and body protection | : protective clothing                                                                                                                                                                                                                                                                                                                                                                         |
| Hygiene measures         | : Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.                                                                                                                                                                                                                                                               |

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

|                      |                                   |
|----------------------|-----------------------------------|
| Appearance           | : crystalline                     |
| Colour               | : colourless                      |
| Odour                | : odourless                       |
| Odour Threshold      | : Not applicable                  |
| pH                   | : No data available               |
| Melting point/ range | : 414 °F / 212 °C<br>Method: dec. |

SIGALD - S6506

Page 7 of 16

|                                                     |                                                                               |
|-----------------------------------------------------|-------------------------------------------------------------------------------|
| Boiling point/boiling range                         | : 824 °F / 440 °C<br>Decomposes on heating.                                   |
| Flash point                                         | : Not applicable                                                              |
| Evaporation rate                                    | : No data available                                                           |
| Burning rate                                        | : No data available                                                           |
| Upper explosion limit /<br>Upper flammability limit | : No data available                                                           |
| Lower explosion limit /<br>Lower flammability limit | : No data available                                                           |
| Vapour pressure                                     | : No data available                                                           |
| Relative vapour density                             | : No data available                                                           |
| Relative density                                    | : No data available                                                           |
| Density                                             | : 4.350 g/cm <sup>3</sup>                                                     |
| Solubility(ies)<br>Water solubility                 | : 2,150 g/l (68 °F / 20 °C)                                                   |
| Partition coefficient: n-<br>octanol/water          | : Not applicable for inorganic substances                                     |
| Autoignition temperature                            | : Not applicable                                                              |
| Decomposition<br>temperature                        | : No data available                                                           |
| Viscosity, dynamic                                  | : No data available                                                           |
| Viscosity, kinematic                                | : No data available                                                           |
| Flow time                                           | : No data available                                                           |
| Explosive properties                                | : Not classified as explosive.                                                |
| Oxidizing properties                                | : The substance or mixture is classified as oxidizing<br>with the category 2. |
| Molecular weight                                    | : 169.87 g/mol                                                                |
| Metal corrosion rate                                | : May be corrosive to metals.                                                 |

#### Particle characteristics

SIGALD - S6506

Page 8 of 16

Particle size : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No data available

Chemical stability : The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions : Decomposes on exposure to light.

Conditions to avoid : Light.  
no information available

Incompatible materials : No data available

Hazardous decomposition products : In the event of fire: see section 5

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

Oral: No data available  
Inhalation: No data available  
Dermal: No data available

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)  
Result: Causes severe burns. - 3 - 60 min  
(OECD Test Guideline 431)

#### Serious eye damage/eye irritation

Eyes - Rabbit  
Result: Causes serious eye damage.  
Remarks: (ECHA)  
Remarks: Risk of permanent damage due to staining of the cornea.

#### Respiratory or skin sensitization

No data available

#### Germ cell mutagenicity

Test Type: Micronucleus test  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation

SIGALD - S6506

Page 9 of 16

Method: OECD Test Guideline 476  
Result: Positive results were obtained in some in vitro tests.

Test Type: Micronucleus test  
Species: Rat

Application Route: Gavage  
Method: OECD Test Guideline 474  
Result: Positive results were obtained in some in vivo tests.

### **Carcinogenicity**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

May damage the unborn child.

### **Specific target organ toxicity - single exposure**

No data available

### **Specific target organ toxicity - repeated exposure**

No data available

### **Aspiration hazard**

No data available

## **11.2 Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 52 Days - No observed adverse effect level -  $\geq$  250 mg/kg

RTECS: VW4725000

May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver)., Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Components:**

#### **Silver nitrate:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)):  
0.0012 mg/l

|                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                        | End point: mortality<br>Exposure time: 96 h<br>Test Type: semi-static test<br>Analytical monitoring: yes<br>Method: US-EPA                                                                                                                                                                                                                                                                                                        |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 ( <i>Daphnia magna</i> (Water flea)): 0.00022 mg/l<br>End point: mortality<br>Exposure time: 48 h<br>Test Type: semi-static test<br>Analytical monitoring: yes<br>Remarks: (ECHA)                                                                                                                                                                                                                                          |
| Toxicity to algae/aquatic plants                                       | : ErC50 ( <i>Raphidocelis subcapitata</i> (freshwater green alga)): 0.00252 mg/l<br>Exposure time: 72 h<br>Test Type: static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 201<br>GLP: yes<br><br>EC10 ( <i>Raphidocelis subcapitata</i> (freshwater green alga)): 0.00046 mg/l<br>Exposure time: 72 h<br>Test Type: static test<br>Analytical monitoring: yes<br>Method: OECD Test Guideline 201<br>GLP: yes |
| M-Factor (Acute aquatic toxicity)                                      | : 1,000                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 0.000351 mg/l<br>Exposure time: 34 d<br>Test Type: flow-through test<br>Analytical monitoring: yes<br>GLP: yes<br>Remarks: (ECHA)                                                                                                                                                                                                                                          |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : EC10 ( <i>Daphnia magna</i> (Water flea)): 0.0027 mg/l<br>Exposure time: 21 d<br>Test Type: semi-static test<br>Analytical monitoring: yes<br>Remarks: (ECHA)                                                                                                                                                                                                                                                                   |
| M-Factor (Chronic aquatic toxicity)                                    | : 100                                                                                                                                                                                                                                                                                                                                                                                                                             |

## Persistence and degradability

### Components:

#### Silver nitrate:

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

## Bioaccumulative potential

### Components:

#### Silver nitrate:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 70  
Exposure time: 41 d  
Temperature: 68 °F / 20 °C

Partition coefficient: n-octanol/water : Remarks: Not applicable for inorganic substances

## Mobility in soil

No data available

## Other adverse effects

### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

## Endocrine disrupting properties

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

SIGALD - S6506

Page 12 of 16

**IATA-DGR**

UN/ID No. : UN 1493  
Proper shipping name : Silver nitrate  
Class : 5.1  
Packing group : II  
Labels : Division 5.1 - Oxidizing substances  
Packing instruction (cargo aircraft) : 562  
Packing instruction (passenger aircraft) : 558

**IMDG-Code**

UN number : UN 1493  
Proper shipping name : SILVER NITRATE  
  
Class : 5.1  
Packing group : II  
Labels : 5.1  
EmS Code : F-A, S-Q  
Marine pollutant : yes

**Transport in bulk according to IMO instruments**

Not applicable for product as supplied.

**National Regulations****49 CFR**

UN/ID/NA number : UN 1493  
Proper shipping name : Silver nitrate  
  
Class : 5.1  
  
Packing group : II  
Labels : Division 5.1 - Oxidizing substances  
ERG Code : 140  
Marine pollutant : no  
Poison Inhalation Hazard : No

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

| Components     | CAS-No.   | Component RQ (lbs) | Calculated product RQ (lbs) |
|----------------|-----------|--------------------|-----------------------------|
| Silver nitrate | 7761-88-8 | 1                  | 1                           |

### **SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

### **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reactivity Hazard  
Acute Health Hazard

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Silver nitrate      7761-88-8      >= 90 - <= 100 %

### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Silver nitrate      7761-88-8      >= 90 - <= 100 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

Silver nitrate      7761-88-8      >= 90 - <= 100 %

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

Silver nitrate      7761-88-8      >= 90 - <= 100 %

This product does not contain any priority pollutants related to the U.S. Clean Water Act

### **US State Regulations**

#### **Massachusetts Right To Know**

Silver nitrate      7761-88-8

#### **Pennsylvania Right To Know**

Silver nitrate      7761-88-8

#### **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

#### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

### **The components of this product are reported in the following inventories:**

SIGALD - S6506

Page 14 of 16

US TSCA : All substances listed as active on the TSCA inventory

### **TSCA list**

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## **SECTION 16. OTHER INFORMATION**

### **Relevant changes since previous version**

1. Identification of the substance/mixture and of the company/undertaking

### **Full text of other abbreviations**

|                 |                                                                                             |
|-----------------|---------------------------------------------------------------------------------------------|
| ACGIH           | : USA. ACGIH Threshold Limit Values (TLV)                                                   |
| NIOSH REL       | : USA. NIOSH Recommended Exposure Limits                                                    |
| OSHA Z-1        | : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants          |
| ACGIH / TWA     | : 8-hour, time-weighted average                                                             |
| NIOSH REL / TWA | : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek |
| OSHA Z-1 / TWA  | : 8-hour time weighted average                                                              |

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the

European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 07/09/2026

US / EN