

• SAFETY DATA SHEET

Version 8.9
Revision Date 11/27/2025
Print Date 11/28/2025

SECTION 1. IDENTIFICATION

1.1 Product identifiers

Product name : GenElute™-E Single Spin Plant DNA Kit
Product Number : EC500
Catalogue No. : 9Z6598
Brand : Sigma

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis
Uses advised against : The product is being supplied under the TSCA R&D Exemption (40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by MilliporeSigma.

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.
3050 SPRUCE ST
ST. LOUIS MO 63103
UNITED STATES
Telephone : +1 314 771-5765
Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Flammable liquids	: Category 3
Skin irritation	: Category 2
Serious eye damage	: Category 1
Respiratory sensitisation	: Category 1
Short-term (acute) aquatic hazard	: Category 1
Long-term (chronic) aquatic hazard	: Category 2

Other hazards

None known.

GHS label elements

Hazard pictograms	:	   
Signal word	:	Danger
Hazard statements	:	H226 Flammable liquid and vapour. H315 Causes skin irritation. H318 Causes serious eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Supplemental Hazard Statements	:	Corrosive to the respiratory tract.
Precautionary statements	:	Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use non-sparking tools.

P243 Take action to prevent static discharges.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P285 In case of inadequate ventilation wear respiratory protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391 Collect spillage.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Refer to component SDS

SECTION 4. FIRST AID MEASURES

Refer to component SDS

SECTION 5. FIREFIGHTING MEASURES

Refer to component SDS

SECTION 6. ACCIDENTAL RELEASE MEASURES

Refer to component SDS

SECTION 7. HANDLING AND STORAGE

Sigma - EC500

Page 3 of 12

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada



For precautions see section 2.2.

Advice on protection against fire and explosion	: Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.
Advice on safe handling	: Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.
Further information on storage conditions	: Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.
Storage class	: 3, Flammable liquids
Recommended storage temperature	: Recommended storage temperature see product label.
Further information on storage stability	: Recommended storage temperature see product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Refer to component SDS

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Refer to component SDS

SECTION 10. STABILITY AND REACTIVITY

Refer to component SDS

SECTION 11. TOXICOLOGICAL INFORMATION

Refer to component SDS

SECTION 12. ECOLOGICAL INFORMATION

Refer to component SDS

SECTION 13. DISPOSAL CONSIDERATIONS

Refer to component SDS

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN/ID No.	:	UN 3316
Proper shipping name	:	Chemical kit
Class	:	9
Packing group	:	III
Labels	:	Class 9 - Miscellaneous dangerous substances and articles
Packing instruction (cargo aircraft)	:	960
Packing instruction (passenger aircraft)	:	960

IMDG-Code

UN number	:	UN 3316
Proper shipping name	:	CHEMICAL KIT
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, <u>S-P</u>
Marine pollutant	:	no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

National Regulations

49 CFR Road

UN/ID/NA number	:	UN 3316
Proper shipping name	:	Chemical kits
Class	:	9
Packing group	:	III
Labels	:	Class 9 - Miscellaneous dangerous substances and articles
ERG Code	:	171
Marine pollutant	:	no

Poison Inhalation Hazard : No

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SECTION 16. OTHER INFORMATION

Kit Components:

Plant Lysis Buffer	9001-003-
	250
Clearing Solution P	9002-003-
	250
SmartLyse™ P Protease	9003-003-
	250
RNase A Plant	9004-003-
	250
Grinding Suspension	9006-003-
	250
1X Tris	9005-000-
	000
Spin Columns	9000-003-
	050

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United

Sigma - EC500

Page 6 of 12

The life science business of Merck KGaA, Darmstadt, Germany
operates as MilliporeSigma in the US and Canada

Millipore
Sigma

States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2025 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

Revision Date : 11/27/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

US / EN

Kit Components:

Plant Lysis Buffer					
Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
9001-003-250 -					No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Clearing Solution P					
Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
9002-003-250 -		Danger	Causes serious eye damage.	Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.	

SmartLyse™ P Protease					
Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
9003-003-250 -		Danger	Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or	Avoid breathing mist or vapours. IF ON SKIN: Wash with plenty of water. Store in a well-ventilated place. Keep container	

			<p>breathing difficulties if inhaled. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.</p>	<p>tightly closed. Dispose of contents/ container to an approved waste disposal plant. Wash skin thoroughly after handling. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. Store locked up. Use only outdoors or in a well-ventilated area. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Avoid release to the environment. If skin irritation occurs: Get medical advice/ attention. Wear protective gloves/ eye protection/ face protection. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.</p>	
--	--	--	--	--	--

				In case of inadequate ventilation wear respiratory protection. Collect spillage.	
--	--	--	--	--	--

RNase A Plant

Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
9004-003-250 -		Danger	May cause allergy or asthma symptoms or breathing difficulties if inhaled.	Avoid breathing mist or vapours. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Dispose of contents/ container to an approved waste disposal plant. In case of inadequate ventilation wear respiratory protection. If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.	

Grinding Suspension

Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
9006-003-250 -					No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

1X Tris

Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
9005-000-					No hazard pictogram, no

000 -					signal word, no hazard statement(s), no precautionary statement(s) required.
-------	--	--	--	--	--

Spin Columns

Product identifier	Pictogram	Signal word	Hazard statements	Precautionary statements	Supplemental information
9000-003-050 -		Warning	Flammable liquid and vapour.	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Store in a well-ventilated place. Keep cool. Dispose of contents/container to an approved waste disposal plant. Keep container tightly closed. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to	

				prevent static discharges. Wear protective gloves/ protective clothing/ eye protection/ face protection.	
--	--	--	--	---	--